

行政院農業委員會 書函

地址：100212臺北市中正區南海路37號
承辦人：寧方俞
電話：(02)2343-6412
傳真：(02)2332-2200
電子信箱：hc2208@mail.baphiq.gov.tw

受文者：台北市航空貨運承攬商業同業公會

發文日期：中華民國110年8月6日
發文字號：農授防字第1101494570B號
速別：普通件
密等及解密條件或保密期限：
附件：

主旨：本會已於110年8月6日以農授防字第1101494570A號公告預告「中華民國輸入植物或植物產品檢疫規定」部分規定修正草案。本案公告及附件請逕至本會全球資訊網(網址：<https://www.coa.gov.tw>)或動植物防疫檢疫局全球資訊網(網址：<https://www.baphiq.gov.tw>)查閱，請查照。

正本：台北市進出口商業同業公會、高雄市進出口商業同業公會、台灣省進出口商業同業公會聯合會、台北市報關商業同業公會、基隆市報關商業同業公會、基隆市報關商業同業公會、高雄市報關商業同業公會、花蓮縣報關商業同業公會、台中市報關商業同業公會、台北市航空貨運承攬商業同業公會、中華民國常駐世界貿易組織代表團、財政部關務署、財政部關務署基隆關、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、經濟部國際貿易局、財團法人食品工業發展研究所、社團法人台灣種苗改進協會、社團法人中華盆花發展協會、台灣蘭花產銷發展協會、本會農糧署、本會農業試驗所、本會農業藥物毒物試驗所、本會種苗改良繁殖場、本會桃園區農業改良場、本會苗栗區農業改良場、本會臺中區農業改良場、本會臺南區農業改良場、本會高雄區農業改良場、本會花蓮區農業改良場、本會臺東區農業改良場、本會林務局、本會林業試驗所、本會特有生物研究保育中心、亞蔬-世界蔬菜中心、駐臺北韓國代表部、澳洲辦事處、紐西蘭商工辦事處、駐臺北以色列經濟文化辦事處、奈及利亞駐華商務辦事處、南非聯絡辦事處、美國在臺協會臺北辦事處、加拿大駐臺北貿易辦事處、智利商務辦事處、阿根廷商務文化辦事處、墨西哥商務簽證文件暨文化辦事處、荷蘭貿易暨投資辦事處、法國在臺協會、義大利經濟貿易文化推廣辦事處、泰國商務處、日本臺灣交流協會臺北事務所、印度臺北協會、丹麥商務辦事處、德國在臺協會、比利時臺北辦事處、駐臺北土耳其貿易辦事處、波蘭台北辦事處、莫斯科台北經濟文化協調委員會駐台北代表處、西班牙商務辦事處、奧地利商務代表辦事處、瑞士商務辦事處、英國在臺辦事處、捷克經濟文化辦事處、匈牙利貿易辦事處、瑞典貿易暨投資委員會臺北辦事處、巴西商務辦事處、瓜地馬拉共和國大使館、



行政院農業委員會 書函

地址：100212臺北市中正區南海路37號
承辦人：寧方俞
電話：(02)2343-6412
傳真：(02)2332-2200
電子信箱：hc2208@mail.baphiq.gov.tw

受文者：台北市報關商業同業公會

發文日期：中華民國110年8月6日
發文字號：農授防字第1101494570B號
速別：普通件
密等及解密條件或保密期限：
附件：

主旨：本會已於110年8月6日以農授防字第1101494570A號公告預告「中華民國輸入植物或植物產品檢疫規定」部分規定修正草案。本案公告及附件請逕至本會全球資訊網(網址：<https://www.coa.gov.tw>)或動植物防疫檢疫局全球資訊網(網址：<https://www.baphiq.gov.tw>)查閱，請查照。

正本：台北市進出口商業同業公會、高雄市進出口商業同業公會、台灣省進出口商業同業公會聯合會、台北市報關商業同業公會、基隆市報關商業同業公會、基隆市報關商業同業公會、高雄市報關商業同業公會、花蓮縣報關商業同業公會、台中市報關商業同業公會、台北市航空貨運承攬商業同業公會、中華民國常駐世界貿易組織代表團、財政部關務署、財政部關務署基隆關、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、經濟部國際貿易局、財團法人食品工業發展研究所、社團法人台灣種苗改進協會、社團法人中華盆花發展協會、台灣蘭花產銷發展協會、本會農糧署、本會農業試驗所、本會農業藥物毒物試驗所、本會種苗改良繁殖場、本會桃園區農業改良場、本會苗栗區農業改良場、本會臺中區農業改良場、本會臺南區農業改良場、本會高雄區農業改良場、本會花蓮區農業改良場、本會臺東區農業改良場、本會林務局、本會林業試驗所、本會特有生物研究保育中心、亞蔬-世界蔬菜中心、駐臺北韓國代表部、澳洲辦事處、紐西蘭商工辦事處、駐臺北以色列經濟文化辦事處、奈及利亞駐華商務辦事處、南非聯絡辦事處、美國在臺協會臺北辦事處、加拿大駐臺北貿易辦事處、智利商務辦事處、阿根廷商務文化辦事處、墨西哥商務簽證文件暨文化辦事處、荷蘭貿易暨投資辦事處、法國在臺協會、義大利經濟貿易文化推廣辦事處、泰國商務處、日本臺灣交流協會臺北事務所、印度臺北協會、丹麥商務辦事處、德國在臺協會、比利時臺北辦事處、駐臺北土耳其貿易辦事處、波蘭台北辦事處、莫斯科台北經濟文化協調委員會駐台北代表處、西班牙商務辦事處、奧地利商務代表辦事處、瑞士商務辦事處、英國在臺辦事處、捷克經濟文化辦事處、匈牙利貿易辦事處、瑞典貿易暨投資委員會臺北辦事處、巴西商務辦事處、瓜地馬拉共和國大使館、



宏都拉斯共和國大使館、義大利經濟貿易文化推廣辦事處貿易組、芬蘭商務辦事處、史瓦帝尼王國大使館、巴拉圭共和國大使館、汶萊貿易旅遊代表處、駐台北印尼經濟貿易代表處、馬來西亞友誼及貿易中心、馬紹爾群島共和國大使館、緬甸聯邦共和國駐台北貿易辦事處、諾魯共和國大使館、駐台北越南經濟文化辦事處、帛琉共和國大使館、巴布亞紐幾內亞駐臺商務代表處、馬尼拉經濟文化辦事處、吐瓦魯國大使館、約旦商務辦事處、駐台北烏蘭巴托貿易經濟代表處、阿曼王國駐華商務辦事處、沙烏地阿拉伯商務辦事處、歐洲經貿辦事處、教廷大使館、盧森堡台北辦事處、斯洛伐克經濟文化辦事處、貝里斯大使館、海地共和國大使館、尼加拉瓜共和國大使館、秘魯駐臺北商務辦事處、聖克里斯多福及尼維斯大使館、聖露西亞大使館

副本：本會動植物防疫檢疫局、本會動植物防疫檢疫局基隆分局、本會動植物防疫檢疫局新竹分局、本會動植物防疫檢疫局臺中分局、本會動植物防疫檢疫局高雄分局



裝

訂


線



檔 號：
保存年限：

行政院農業委員會 公告

發文日期：中華民國110年8月6日
發文字號：農授防字第1101494570A號



主旨：預告修正「中華民國輸入植物或植物產品檢疫規定」部分規定。

依據：行政程序法第一百五十一條第二項準用第一百五十四條第一項。

公告事項：

- 一、修正機關：行政院農業委員會。
- 二、修正依據：植物防疫檢疫法第十四條第一項。
- 三、「中華民國輸入植物或植物產品檢疫規定」部分規定修正草案如附件。本案另載於本會全球資訊網(網址：<https://www.coa.gov.tw>)及動植物防疫檢疫局全球資訊網(網址：<https://www.baphiq.gov.tw>)。
- 四、對於本公告內容有任何意見或修正建議者，請於本公告刊登公報隔日起60日內陳述意見或洽詢：
 - (一)承辦單位：行政院農業委員會動植物防疫檢疫局
 - (二)地址：100060臺北市中正區和平西路2段100號9樓
 - (三)電話：02-23436412
 - (四)傳真：02-23047455
 - (五)電子郵件信箱：baphiq@mail.baphiq.gov.tw

主任委員 陳吉仲

中華民國輸入植物或植物產品檢疫規定部分規定修正草案對照表

修正規定			現行規定			說明
<p>甲、禁止輸入之植物或植物產品 依據：植物防疫檢疫法第十四條第一項第一款規定。 一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：</p>			<p>甲、禁止輸入之植物或植物產品 依據：植物防疫檢疫法第十四條第一項第一款規定。 一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：</p>			<p>本檢疫規定加拿大卑詩省應採一致名稱，爰修正國家地區欄(31)，英屬哥倫比亞省修正為卑詩省。</p>
植物名稱及其部位	國家或地區	禁止原因（病蟲害名稱）	植物名稱及其部位	國家或地區	禁止原因（病蟲害名稱）	
<p>32. 下列植物生植株之全部、部分（種子除外）： (1) 番椒 (<i>Capsicum annuum</i>) (2) 菸草 (<i>Nicotiana tabacum</i>) (3) 茄子 (<i>Solanum melongena</i>)</p>	<p>亞洲及太平洋地區 (1) 亞美尼亞 (2) 澳大利亞 (3) 亞塞拜然 (4) 白俄羅斯 (5) 喬治亞 (6) 伊朗 (7) 伊拉克 (8) 以色列 (9) 約旦 (10) 哈薩克 (11) 吉爾吉斯 (12) 黎巴嫩 (13) 摩爾多瓦 (14) 緬甸 (15) 巴勒斯坦 (16) 俄羅斯聯邦 (17) 敘利亞 (18) 塔吉克 (19) 土耳其 (20) 土庫曼 (21) 烏克蘭 (22) 烏茲別克 (23) 葉門共和國 非洲 (24) 阿爾及利亞 (25) 埃及 (26) 利比亞 (27) 摩洛哥 (28) 留尼旺島(法屬) (29) 突尼西亞 歐洲 (30) 歐洲各個國家、地區 (荷蘭除外) 北美 (31) 加拿大 (卑詩省除外)</p>	<p>菸草露菌病 (<i>Peronospora tabacina</i> Adam.)</p>	<p>32. 下列植物生植株之全部、部分（種子除外）： (1) 番椒 (<i>Capsicum annuum</i>) (2) 菸草 (<i>Nicotiana tabacum</i>) (3) 茄子 (<i>Solanum melongena</i>)</p>	<p>亞洲及太平洋地區 (1) 亞美尼亞 (2) 澳大利亞 (3) 亞塞拜然 (4) 白俄羅斯 (5) 喬治亞 (6) 伊朗 (7) 伊拉克 (8) 以色列 (9) 約旦 (10) 哈薩克 (11) 吉爾吉斯 (12) 黎巴嫩 (13) 摩爾多瓦 (14) 緬甸 (15) 巴勒斯坦 (16) 俄羅斯聯邦 (17) 敘利亞 (18) 塔吉克 (19) 土耳其 (20) 土庫曼 (21) 烏克蘭 (22) 烏茲別克 (23) 葉門共和國 非洲 (24) 阿爾及利亞 (25) 埃及 (26) 利比亞 (27) 摩洛哥 (28) 留尼旺島(法屬) (29) 突尼西亞 歐洲 (30) 歐洲各個國家、地區 (荷蘭除外) 北美 (31) 加拿大 (英屬哥</p>	<p>菸草露菌病 (<i>Peronospora tabacina</i> Adam.)</p>	

	(32) 美國 中南美 (33) 安地卡及巴布達 (34) 阿根廷 (35) 巴哈馬 (36) 巴貝多 (37) 貝里斯 (38) 巴西 (39) 智利 (40) 哥倫比亞 (41) 哥斯大黎加 (42) 古巴 (43) 多米尼克 (44) 多明尼加 (45) 薩爾瓦多 (46) 格瑞那達 (47) 瓜地馬拉 (48) 海地 (49) 宏都拉斯 (50) 牙買加 (51) 墨西哥 (52) 尼加拉瓜 (53) 巴拿馬 (54) 波多黎各 (55) 聖克里斯多福 (56) 聖露西亞 (57) 聖文森及格瑞那丁 (58) 千里達及托巴哥 (59) 烏拉圭 (60) 委內瑞拉			倫比亞省除外) (32) 美國 中南美 (33) 安地卡及巴布達 (34) 阿根廷 (35) 巴哈馬 (36) 巴貝多 (37) 貝里斯 (38) 巴西 (39) 智利 (40) 哥倫比亞 (41) 哥斯大黎加 (42) 古巴 (43) 多米尼克 (44) 多明尼加 (45) 薩爾瓦多 (46) 格瑞那達 (47) 瓜地馬拉 (48) 海地 (49) 宏都拉斯 (50) 牙買加 (51) 墨西哥 (52) 尼加拉瓜 (53) 巴拿馬 (54) 波多黎各 (55) 聖克里斯多福 (56) 聖露西亞 (57) 聖文森及格瑞那丁 (58) 千里達及托巴哥 (59) 烏拉圭 (60) 委內瑞拉		
--	--	--	--	---	--	--

乙、有條件輸入植物或植物產品之檢疫條件
依據：植物防疫檢疫法第十四條第一項第二款、第三款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
37.植物名稱及其部位 I.下列繁殖用生植株(種子除外): (1)黃秋葵 (<i>Abelmoschus esculentus = Hibiscus esculent</i>)	亞洲及太平洋地區 (1)阿富汗 (2)亞塞拜然 (3)澳大利亞 (4)孟加拉 (5)白俄羅斯 (6)中國大陸	梨花枯病 (<i>Pseudomonas syringae</i> pv. <i>syringae</i>)	1. 應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未罹染 <i>Pseudomonas syringae</i> pv.

乙、有條件輸入植物或植物產品之檢疫條件
依據：植物防疫檢疫法第十四條第一項第二款、第三款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
37.植物名稱及其部位 I.下列繁殖用生植株(種子除外): (1)黃秋葵 (<i>Abelmoschus esculentus = Hibiscus esculent</i>)	亞洲及太平洋地區 (1)阿富汗 (2)亞塞拜然 (3)澳大利亞 (4)孟加拉 (5)白俄羅斯 (6)中國大陸	梨花枯病 (<i>Pseudomonas syringae</i> pv. <i>syringae</i>)	1. 應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未罹染 <i>Pseudomonas syringae</i> pv.

依風險評估及查詢科學文獻結果,繁植用豌豆種子有傳入本有害生物風險,爰於植物名稱及其部位欄II增列,另序號配合調整。

us)	(7)喬治亞	<p><i>syringae</i>，或於輸出前經實驗室檢測未罹染<i>Pseudomas syringae</i> pv. <i>syringae</i>，否則銷燬或退運。</p> <p>2. 日本產梨接穗依「日本產梨接穗輸入檢疫條件」辦理輸入。</p> <p>3. 中國大陸產梨接穗依「中國大陸產梨接穗輸入檢疫條件」辦理輸入。</p>	us)	(7)喬治亞	<p><i>syringae</i>，或於輸出前經實驗室檢測未罹染<i>Pseudomas syringae</i> pv. <i>syringae</i>，否則銷燬或退運。</p> <p>2. 日本產梨接穗依「日本產梨接穗輸入檢疫條件」辦理輸入。</p> <p>3. 中國大陸產梨接穗依「中國大陸產梨接穗輸入檢疫條件」辦理輸入。</p>
(2)烏頭屬 (<i>Aconitum</i> spp.)	(8)印度		(2)烏頭屬 (<i>Aconitum</i> spp.)	(8)印度	
(3)臺灣羊桃 (<i>Actinidia chinensis</i>)	(9)伊朗		(3)臺灣羊桃 (<i>Actinidia chinensis</i>)	(9)伊朗	
(4)奇異果 (<i>Actinidia deliciosa</i>)	(10)以色列		(4)奇異果 (<i>Actinidia deliciosa</i>)	(10)以色列	
(5)赤楊屬之一種 (<i>Alnus glutinosa</i>)	(11)日本		(5)赤楊屬之一種 (<i>Alnus glutinosa</i>)	(11)日本	
(6)椴木屬 (<i>Aralia</i> spp.)	(12)北韓		(6)椴木屬 (<i>Aralia</i> spp.)	(12)北韓	
(7)漿果鵝屬 (<i>Arbutus</i> spp.)	(13)南韓		(7)漿果鵝屬 (<i>Arbutus</i> spp.)	(13)南韓	
(8)歐洲白樺 (<i>Betula pendula</i>)	(14)吉爾吉斯		(8)歐洲白樺 (<i>Betula pendula</i>)	(14)吉爾吉斯	
(9)旋花科之一種 (<i>Calystegia sepium</i>)	(15)黎巴嫩		(9)旋花科之一種 (<i>Calystegia sepium</i>)	(15)黎巴嫩	
(10)番椒 (<i>Capsicum annuum</i>)	(16)紐西蘭		(10)番椒 (<i>Capsicum annuum</i>)	(16)紐西蘭	
(11)紅花 (<i>Carthamus tinctorius</i>)	(17)俄羅斯聯邦		(11)紅花 (<i>Carthamus tinctorius</i>)	(17)俄羅斯聯邦	
(12)矢車菊屬之一種 (<i>Centaurea stoebe</i>)	(18)巴基斯坦		(12)矢車菊屬之一種 (<i>Centaurea stoebe</i>)	(18)巴基斯坦	
(13)野菊 (<i>Chrysanthemum indicum</i>)	(19)斯里蘭卡		(13)野菊 (<i>Chrysanthemum indicum</i>)	(19)斯里蘭卡	
(14)樟樹 (<i>Cinnamomum camphora</i>)	(20)泰國		(14)樟樹 (<i>Cinnamomum camphora</i>)	(20)泰國	
(15)柑橘屬 (<i>Citrus</i> spp.)	(21)土耳其		(15)柑橘屬 (<i>Citrus</i> spp.)	(21)土耳其	
	(22)烏茲別克 非洲		(22)烏茲別克 非洲		
	(23)阿爾及利亞		(23)阿爾及利亞		
	(24)埃及		(24)埃及		
	(25)衣索比亞		(25)衣索比亞		
	(26)肯亞		(26)肯亞		
	(27)賴索托		(27)賴索托		
	(28)利比亞		(28)利比亞		
	(29)馬拉威		(29)馬拉威		
	(30)摩洛哥		(30)摩洛哥		
	(31)奈及利亞		(31)奈及利亞		
	(32)南非		(32)南非		
	(33)坦尚尼亞		(33)坦尚尼亞		
	(34)突尼西亞		(34)突尼西亞		
	(35)烏干達		(35)烏干達		
	(36)辛巴威 歐洲		(36)辛巴威 歐洲		
	(37)奧地利		(37)奧地利		
	(38)比利時		(38)比利時		
	(39)波士尼亞赫塞哥維納		(39)波士尼亞赫塞哥維納		
	(40)保加利亞		(40)保加利亞		
	(41)賽普勒斯		(41)賽普勒斯		
	(42)捷克		(42)捷克		
	(43)丹麥		(43)丹麥		
	(44)法國		(44)法國		

(16)阿拉比卡咖啡 (<i>Coffea arabica</i>)	(45) 德國 (46) 希臘 (47) 匈牙利			(16)阿拉比卡咖啡 (<i>Coffea arabica</i>)	(45) 德國 (46) 希臘 (47) 匈牙利		
(17)胡瓜 (<i>Cucumis sativus</i>)	(48) 愛爾蘭 (49) 義大利 (50) 拉脫維亞			(17)胡瓜 (<i>Cucumis sativus</i>)	(48) 愛爾蘭 (49) 義大利 (50) 拉脫維亞		
(18)南瓜屬 (<i>Cucurbita</i> spp.)	(51) 立陶宛 (52) 馬其頓			(18)南瓜屬 (<i>Cucurbita</i> spp.)	(51) 立陶宛 (52) 馬其頓		
(19)瓜爾豆 (<i>Cyamopsis tetragonoloba</i>)	(53) 摩爾多瓦 (54) 荷蘭 (55) 波蘭			(19)瓜爾豆 (<i>Cyamopsis tetragonoloba</i>)	(53) 摩爾多瓦 (54) 荷蘭 (55) 波蘭		
(20)榲桲 (<i>Cydonia oblonga</i>)	(56) 葡萄牙 (57) 羅馬尼亞 (58) 塞爾維亞			(20)榲桲 (<i>Cydonia oblonga</i>)	(56) 葡萄牙 (57) 羅馬尼亞 (58) 塞爾維亞		
(21)大理花 (<i>Dahlia pinnata</i>)	(59) 斯洛維尼亞 (60) 西班牙 (61) 瑞典			(21)大理花 (<i>Dahlia pinnata</i>)	(59) 斯洛維尼亞 (60) 西班牙 (61) 瑞典		
(22)瑞香 (<i>Daphne odora</i>)	(62) 瑞士 (63) 英國 (64) 烏克蘭			(22)瑞香 (<i>Daphne odora</i>)	(62) 瑞士 (63) 英國 (64) 烏克蘭		
(23)柿 (<i>Diospyros kaki</i>)	北美 (65) 加拿大 (66) 墨西哥			(23)柿 (<i>Diospyros kaki</i>)	北美 (65) 加拿大 (66) 墨西哥		
(24)連翹屬之一種 (<i>Forsythia intermedia</i>)	(67) 美國 中南美 (68) 阿根廷 (69) 巴貝多			(24)連翹屬之一種 (<i>Forsythia intermedia</i>)	(67) 美國 中南美 (68) 阿根廷 (69) 巴貝多		
(25)金柑屬 (<i>Fortunella</i> spp.)	(70) 巴西 (71) 智利 (72) 薩爾瓦多			(25)金柑屬 (<i>Fortunella</i> spp.)	(70) 巴西 (71) 智利 (72) 薩爾瓦多		
(26)歐洲草莓 (<i>Fragaria vesca</i>)	(73) 瓜地馬拉 (74) 宏都拉斯 (75) 巴拿馬			(26)歐洲草莓 (<i>Fragaria vesca</i>)	(73) 瓜地馬拉 (74) 宏都拉斯 (75) 巴拿馬		
(27)大豆 (<i>Glycine max</i>)	(76) 波多黎各 (77) 烏拉圭			(27)大豆 (<i>Glycine max</i>)	(76) 波多黎各 (77) 烏拉圭		
(28)木槿屬 (<i>Hibiscus</i> spp.)	(78) 委內瑞拉			(28)木槿屬 (<i>Hibiscus</i> spp.)	(78) 委內瑞拉		
(29)大麥 (<i>Hordeum vulgare</i>)				(29)大麥 (<i>Hordeum vulgare</i>)			
(30)胡桃				(30)胡桃			

(<i>Juglans regia</i>)				(<i>Juglans regia</i>)			
(31) 白花鵲豆				(31) 白花鵲豆			
(<i>Lablab purpureus</i>)				(<i>Lablab purpureus</i>)			
(32) 女貞屬之一種				(32) 女貞屬之一種			
(<i>Ligustrum ovalifolium</i>)				(<i>Ligustrum ovalifolium</i>)			
(33) 荔枝				(33) 荔枝			
(<i>Litchi chinensis</i>)				(<i>Litchi chinensis</i>)			
(34) 木蘭屬				(34) 木蘭屬			
(<i>Magnolia spp.</i>)				(<i>Magnolia spp.</i>)			
(35) 椽果				(35) 椽果			
(<i>Mangifera indica</i>)				(<i>Mangifera indica</i>)			
(36) 蘋果				(36) 蘋果			
(<i>Malus domestica</i>)				(<i>Malus domestica</i>)			
(37) 虎爪豆				(37) 虎爪豆			
(<i>Mucuna pruriens</i>)				(<i>Mucuna pruriens</i>)			
(38) 芭蕉屬之一種				(38) 芭蕉屬之一種			
(<i>Musa paradisiaca</i>)				(<i>Musa paradisiaca</i>)			
(39) 歐洲夾竹桃				(39) 歐洲夾竹桃			
(<i>Nerium oleander</i>)				(<i>Nerium oleander</i>)			
(40) 菸草				(40) 菸草			
(<i>Nicotiana tabacum</i>)				(<i>Nicotiana tabacum</i>)			
(41) 橄欖				(41) 橄欖			
(<i>Olea europaea</i>)				(<i>Olea europaea</i>)			
(42) 稻				(42) 稻			
(<i>Oryza sativa</i>)				(<i>Oryza sativa</i>)			
(43) 百香果				(43) 百香果			
(<i>Passiflora edulis</i>)				(<i>Passiflora edulis</i>)			
(44) 酪梨				(44) 酪梨			

(45) 花豆 (<i>Persea americana</i>) (<i>Phaseolus coccineus</i>)				(45) 花豆 (<i>Persea americana</i>) (<i>Phaseolus coccineus</i>)				
(46) 菜豆 (<i>Phaseolus lunatus</i>)				(46) 菜豆 (<i>Phaseolus lunatus</i>)				
(47) 敏豆 (<i>Phaseolus vulgaris</i>)				(47) 敏豆 (<i>Phaseolus vulgaris</i>)				
(48) 山梅花屬 (<i>Philadelphus</i> spp.)				(48) 山梅花屬 (<i>Philadelphus</i> spp.)				
(49) 放射松 (<i>Pinus radiata</i>)				(49) 放射松 (<i>Pinus radiata</i>)				
(50) 胡椒 (<i>Piper nigrum</i>)				(50) 胡椒 (<i>Piper nigrum</i>)				
(51) 豌豆 (<i>Pisum sativum</i>)				(51) 豌豆 (<i>Pisum sativum</i>)				
(52) 楊屬 (<i>Populus</i> spp.)				(52) 楊屬 (<i>Populus</i> spp.)				
(53) 李屬 (<i>Prunus</i> spp.)				(53) 李屬 (<i>Prunus</i> spp.)				
(54) 梨屬 (<i>Pyrus</i> spp.)				(54) 梨屬 (<i>Pyrus</i> spp.)				
(55) 杜鵑花屬 (<i>Rhododendron</i> spp.)				(55) 杜鵑花屬 (<i>Rhododendron</i> spp.)				
(56) 薔薇屬 (<i>Rosa</i> spp.)				(56) 薔薇屬 (<i>Rosa</i> spp.)				
(57) 柳屬 (<i>Salix</i> spp.)				(57) 柳屬 (<i>Salix</i> spp.)				
(58) 樹番茄 (<i>Solanum betaceum</i> = <i>Cyphomandra betacea</i>)				(58) 樹番茄 (<i>Solanum betaceum</i> = <i>Cyphomandra betacea</i>)				
(59) 番茄 (<i>Solanum lycopersicum</i>)				(59) 番茄 (<i>Solanum lycopersicum</i>)				

<p>=<i>Lycopersium esculentum</i>) (60) 高粱 (<i>Sorghum bicolor</i>) (61) 小麥 (<i>Triticum aestivum</i>) (62) 油桐 (<i>Vernicia fordii</i>= <i>Aleurites fordii</i>) (63) 蠶豆屬 (<i>Vicia</i> spp.) (64) 豇豆屬 (<i>Vigna</i> spp.) (65) 葡萄屬 (<i>Vitis</i> spp.) (66) 玉米 (<i>Zea mays</i>)</p>				<p>=<i>Lycopersium esculentum</i>) (60) 高粱 (<i>Sorghum bicolor</i>) (61) 小麥 (<i>Triticum aestivum</i>) (62) 油桐 (<i>Vernicia fordii</i>= <i>Aleurites fordii</i>) (63) 蠶豆屬 (<i>Vicia</i> spp.) (64) 豇豆屬 (<i>Vigna</i> spp.) (65) 葡萄屬 (<i>Vitis</i> spp.) (66) 玉米 (<i>Zea mays</i>)</p>				
<p>II. 下列繁殖用種子： (1) 瓜爾豆 (<i>Cyamopsis tet- ragonoloba</i>) (2) 大豆 (<i>Glycine max</i>) (3) 白花鵲豆 (<i>Lablab purpureus</i>) (4) 稻 (<i>Oryza sativa</i>) (5) 花豆 (<i>Phaseolus coccineus</i>) (6) 菜豆 (<i>Phaseolus lunatus</i>) (7) 敏豆 (<i>Phaseolus vulgaris</i>)</p>				<p>II. 下列繁殖用種子： (1) 瓜爾豆 (<i>Cyamopsis tet- ragonoloba</i>) (2) 大豆 (<i>Glycine max</i>) (3) 白花鵲豆 (<i>Lablab purpureus</i>) (4) 稻 (<i>Oryza sativa</i>) (5) 花豆 (<i>Phaseolus coccineus</i>) (6) 菜豆 (<i>Phaseolus lunatus</i>) (7) 敏豆 (<i>Phaseolus vulgaris</i>)</p>				

<p>(8) 豌豆 (<i>Pisum sativum</i>)</p> <p>(9) 高粱 (<i>Sorghum bicolor</i>)</p> <p>(10) 小麥 (<i>Triticum aestivum</i>)</p> <p>(11) 蠶豆屬 (<i>Vicia</i> spp.)</p> <p>(12) 豇豆屬 (<i>Vigna</i> spp.)</p>				<p>(8) 高粱 (<i>Sorghum bicolor</i>)</p> <p>(9) 小麥 (<i>Triticum aestivum</i>)</p> <p>(10) 蠶豆屬 (<i>Vicia</i> spp.)</p> <p>(11) 豇豆屬 (<i>Vigna</i> spp.)</p>				
<p>38. 下列繁殖用生植株 (種子除外):</p> <p>(1) 長葉栲 (<i>Acacia longifolia</i>)</p> <p>(2) 槭屬 (<i>Acer</i> spp.)</p> <p>(3) 加州七葉樹 (<i>Aesculus californica</i>)</p> <p>(4) 加州赤楊 (<i>Alnus rhombifolia</i>)</p> <p>(5) 樹山葡 (<i>Ampelopsis arborea</i>)</p> <p>(6) 艾屬之一種 (<i>Artemisia douglasiana</i>)</p> <p>(7) 雀麥屬 (<i>Bromus</i> spp.)</p> <p>(8) 美人蕉屬 (<i>Canna</i> spp.)</p> <p>(9) 美洲紫珠 (<i>Callicarpa americana</i>)</p> <p>(10) 長山核桃 (<i>Carya illinoensis</i>)</p> <p>(11) 長春花 (<i>Catharanthus roseus</i>)</p>	<p>亞洲及太平洋地區</p> <p>(1) 伊朗</p> <p>(2) 土耳其</p> <p>歐洲</p> <p>(3) 義大利</p> <p>(4) 西班牙</p> <p>北美</p> <p>(5) 美國</p> <p>(6) 加拿大</p> <p>中南美</p> <p>(7) 阿根廷</p> <p>(8) 巴西</p> <p>(9) 哥斯大黎加</p> <p>(10) 巴拉圭</p> <p>(11) 委內瑞拉</p>	<p><i>Xylella fastidiosa</i></p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明於輸出前經實驗室檢測未罹染 <i>Xylella fastidiosa</i> 否則銷燬或退運。</p>	<p>38. 下列繁殖用生植株 (種子除外):</p> <p>(1) 長葉栲 (<i>Acacia longifolia</i>)</p> <p>(2) 槭屬 (<i>Acer</i> spp.)</p> <p>(3) 加州七葉樹 (<i>Aesculus californica</i>)</p> <p>(4) 加州赤楊 (<i>Alnus rhombifolia</i>)</p> <p>(5) 樹山葡 (<i>Ampelopsis arborea</i>)</p> <p>(6) 艾屬之一種 (<i>Artemisia douglasiana</i>)</p> <p>(7) 雀麥屬 (<i>Bromus</i> spp.)</p> <p>(8) 美人蕉屬 (<i>Canna</i> spp.)</p> <p>(9) 美洲紫珠 (<i>Callicarpa americana</i>)</p> <p>(10) 長山核桃 (<i>Carya illinoensis</i>)</p> <p>(11) 長春花 (<i>Catharanthus roseus</i>)</p>	<p>亞洲及太平洋地區</p> <p>(1) 伊朗</p> <p>(2) 土耳其</p> <p>歐洲</p> <p>(3) 義大利</p> <p>北美</p> <p>(4) 美國</p> <p>(5) 加拿大</p> <p>中南美</p> <p>(6) 阿根廷</p> <p>(7) 巴西</p> <p>(8) 哥斯大黎加</p> <p>(9) 巴拉圭</p> <p>(10) 委內瑞拉</p>	<p><i>Xylella fastidiosa</i></p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明於輸出前經實驗室檢測未罹染 <i>Xylella fastidiosa</i> 否則銷燬或退運。</p>	<p>依風險評估及查詢科學文獻結果,增列紫薇及越桔屬為本項有害生物寄主,西班牙為疫區,爰修正名稱及其部位欄,以及國家或地區欄,予以增列,另序號配合調整。</p>

(12) 紫荊屬之一種 (<i>Cercis occidentalis</i>)				(12) 紫荊屬之一種 (<i>Cercis occidentalis</i>)				
(13) 白藜 (<i>Chenopodium quinoa</i>)				(13) 白藜 (<i>Chenopodium quinoa</i>)				
(14) 柑桔屬 (<i>Citrus spp.</i>)				(14) 柑桔屬 (<i>Citrus spp.</i>)				
(15) 咖啡屬 (<i>Coffea spp.</i>)				(15) 咖啡屬 (<i>Coffea spp.</i>)				
(16) 胡蘿蔔 (<i>Daucus carota</i> var. <i>sativa</i>)				(16) 胡蘿蔔 (<i>Daucus carota</i> var. <i>sativa</i>)				
(17) 金露花 (<i>Duranta repens</i>)				(17) 金露花 (<i>Duranta repens</i>)				
(18) 無花果 (<i>Ficus carica</i>)				(18) 無花果 (<i>Ficus carica</i>)				
(19) 金柑屬 (<i>Fortunella spp.</i>)				(19) 金柑屬 (<i>Fortunella spp.</i>)				
(20) 加州草莓 (<i>Fragaria californica</i>)				(20) 加州草莓 (<i>Fragaria californica</i>)				
(21) 雙瓣白蠟 (<i>Fraxinus dipetala</i>)				(21) 雙瓣白蠟 (<i>Fraxinus dipetala</i>)				
(22) 倒掛金鐘 (<i>Fuchsia magellanica</i>)				(22) 倒掛金鐘 (<i>Fuchsia magellanica</i>)				
(23) 銀杏 (<i>Ginkgo biloba</i>)				(23) 銀杏 (<i>Ginkgo biloba</i>)				
(24) 常春藤 (<i>Hedera helix</i>)				(24) 常春藤 (<i>Hedera helix</i>)				
(25) 加州冬青樹 (<i>Heteromeles arbutifolia</i>)				(25) 加州冬青樹 (<i>Heteromeles arbutifolia</i>)				
(26) 大麥 (<i>Hordeum vulgare</i>)				(26) 大麥 (<i>Hordeum vulgare</i>)				
(27) 圓錐繡球 (<i>Hydrangea paniculata</i>)				(27) 圓錐繡球 (<i>Hydrangea paniculata</i>)				
(28) 藍花楹屬之一種 (<i>Jacaranda mimosifolia</i>)				(28) 藍花楹屬之一種 (<i>Jacaranda mimosifolia</i>)				
(29) 圓柏屬之一種				(29) 圓柏屬之一種				

<p>(<i>Juniperus ashei</i>) (30) 紫薇 (<i>Lagerstroemia indica</i>) (31) 香豌豆屬 (<i>Lathyrus spp.</i>) (32) 甜楓 (<i>Liquidambar styraciflua</i>) (33) 黑麥草 (<i>Lolium multiflorum</i>) (34) 金銀花 (<i>Lonicera japonica</i>) (35) 洋玉蘭 (<i>Magnolia grandiflora</i>) (36) 薄荷屬 (<i>Mentha spp.</i>) (37) 桑 (<i>Morus alba</i>) (38) 夾竹桃 (<i>Nerium oleander</i>) (39) 橄欖 (<i>Olea europaea</i>) (40) 五葉地錦 (<i>Parthenocissus quinquefolia</i>) (41) 天竺葵 (<i>Pelargonium hortorum</i>) (42) 厚葉海桐 (<i>Pittosporum crassifolium</i>) (43) 美國梧桐 (<i>Platanus occidentalis</i>) (44) 酪梨 (<i>Persea americana</i>) (45) 枸橘屬 (<i>Poncirus spp.</i>) (46) 李屬 (<i>Prunus spp.</i>)</p>					<p>(<i>Juniperus ashei</i>) (30) 香豌豆屬 (<i>Lathyrus spp.</i>) (31) 甜楓 (<i>Liquidambar styraciflua</i>) (32) 黑麥草 (<i>Lolium multiflorum</i>) (33) 金銀花 (<i>Lonicera japonica</i>) (34) 洋玉蘭 (<i>Magnolia grandiflora</i>) (35) 薄荷屬 (<i>Mentha spp.</i>) (36) 桑 (<i>Morus alba</i>) (37) 夾竹桃 (<i>Nerium oleander</i>) (38) 橄欖 (<i>Olea europaea</i>) (39) 五葉地錦 (<i>Parthenocissus quinquefolia</i>) (40) 天竺葵 (<i>Pelargonium hortorum</i>) (41) 厚葉海桐 (<i>Pittosporum crassifolium</i>) (42) 美國梧桐 (<i>Platanus occidentalis</i>) (43) 酪梨 (<i>Persea americana</i>) (44) 枸橘屬 (<i>Poncirus spp.</i>) (45) 李屬 (<i>Prunus spp.</i>) (46) 櫟屬 (<i>Quercus spp.</i>) (47) 加州薔薇</p>				
---	--	--	--	--	--	--	--	--	--

<p>(47) 櫟屬 (<i>Quercus</i> spp.) (48) 加州薔薇 (<i>Rosa californica</i>) (49) 迷迭香 (<i>Rosmarinus officinalis</i>) (50) 懸鈎子屬 (<i>Rubus</i> spp.) (51) 接骨木 (<i>Sambucus canadensis</i>) (52) 高粱 (<i>Sorghum vulgare</i>) (53) 丁香 (<i>Syringa vulgaris</i>) (54) 三葉草屬 (<i>Trifolium</i> spp.) (55) 榆屬 (<i>Ulmus</i> spp.) (56) 加州月桂 (<i>Umbellularia californica</i>) (57) 越桔屬 (<i>Vaccinium</i> spp.) (58) 蠶豆 (<i>Vicia faba</i>) (59) 日日春 (<i>Vinca major</i>) (60) 葡萄屬 (<i>Vitis</i> spp.)</p>				<p>(<i>Rosa californica</i>) (48) 迷迭香 (<i>Rosmarinus officinalis</i>) (49) 懸鈎子屬 (<i>Rubus</i> spp.) (50) 接骨木 (<i>Sambucus canadensis</i>) (51) 高粱 (<i>Sorghum vulgare</i>) (52) 丁香 (<i>Syringa vulgaris</i>) (53) 三葉草屬 (<i>Trifolium</i> spp.) (54) 榆屬 (<i>Ulmus</i> spp.) (55) 加州月桂 (<i>Umbellularia californica</i>) (56) 蠶豆 (<i>Vicia faba</i>) (57) 日日春 (<i>Vinca major</i>) (58) 葡萄屬 (<i>Vitis</i> spp.)</p>				
<p>39. 下列繁殖用生植株： (1) 西洋芹 (<i>Apium graveolens</i>) (2) 辣根 (<i>Armoracia rusticana</i>) (3) 甜菜 (<i>Beta vulgaris</i>) (4) 胡瓜 (<i>Cucumis sativas</i>) (5) 紅藜</p>	<p>亞洲及太平洋地區 (1) 澳大利亞 (2) 日本 (3) 印度 (4) 伊朗 (5) 哈薩克 (6) 黎巴嫩 (7) 紐西蘭 (8) 敘利亞 (9) 俄羅斯聯邦 (10) 土耳其</p>	<p>南芥嵌紋病毒 (<i>Arabis mosaic virus</i> (Nepovirus))</p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。</p>	<p>39. 下列繁殖用生植株(種子除外)： (1) 西洋芹 (<i>Apium graveolens</i>) (2) 辣根 (<i>Armoracia rusticana</i>) (3) 甜菜 (<i>Beta vulgaris</i>) (4) 胡瓜 (<i>Cucumis sativas</i>)</p>	<p>亞洲及太平洋地區 (1) 澳大利亞 (2) 紐西蘭 (3) 俄羅斯聯邦 (4) 土耳其 (5) 烏克蘭 非洲 (6) 南非 歐洲 (7) 比利時 (8) 保加利亞</p>	<p>南芥嵌紋病毒 (<i>Arabis mosaic virus</i> (Nepovirus))</p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。</p>	<p>一、經風險評估結果，紅藜、奎藜、胡蘿蔔、康乃馨、矮牽牛屬、菜豆及馬鞭草屬具傳播南芥嵌紋病毒風險，且南芥嵌紋病毒具有極高之種子傳播率，爰將前揭植物納入本點規範之植物，並該病毒寄主植物之繁殖用種子一併納入管制範圍。 二、參考 Crop Protection Compendium 資料庫資料，增列日本等十五國為南芥嵌紋病毒發生國家。</p>

<u>(Chenopodium giganteum = C. album subsp. amaranticolor)</u>	(11) 烏克蘭 非洲			(5) 豆科 (Fabaceae)	(9) 捷克 (10) 丹麥		
(6) 奎藜 <u>(Chenopodium quinoa)</u>	(12) 埃及 (13) 南非 歐洲			(6) 連翹 (<i>Forsythia suspense</i>)	(11) 法國 (12) 德國 (13) 挪威		
(7) 胡蘿蔔 <u>(Daucus carota)</u>	(14) 奧地利 (15) 比利時 (16) 保加利亞			(7) 草莓 (<i>Fragaria × ananassa</i>)	(14) 匈牙利 (15) 愛爾蘭 (16) 義大利		
(8) 康乃馨 <u>(Dianthus caryophyllus)</u>	(17) 白俄羅斯 (18) 捷克 (19) 丹麥			(8) 唐菖蒲 (<i>Gladiolus hybridus</i>)	(17) 盧森堡 (18) 摩爾達維亞 (19) 荷蘭		
(9) 豆科 (Fabaceae)	(20) 法國 (21) 德國 (22) 挪威			(9) 蛇麻 (<i>Humulus lupulus</i>)	(20) 波蘭 (21) 羅馬尼亞 (22) 南斯拉夫		
(10) 連翹 (<i>Forsythia suspense</i>)	(23) 克羅埃西亞 亞			(10) 萵苣 (<i>Lactuca sativa</i>)	(23) 斯洛維尼亞 (24) 西班牙		
(11) 草莓 (<i>Fragaria × ananassa</i>)	(24) 匈牙利 (25) 愛爾蘭 (26) 義大利			(11) 百合屬 (<i>Lilium spp.</i>)	(25) 瑞典 (26) 瑞士 (27) 芬蘭		
(12) 唐菖蒲 (<i>Gladiolus hybridus</i>)	(27) 盧森堡 (28) 拉脫維亞 (29) 摩爾達維亞			(12) 橄欖 (<i>Olea europaea</i>)	(28) 英國 (29) 烏克蘭 北美		
(13) 蛇麻 (<i>Humulus lupulus</i>)	(30) 荷蘭 (31) 波蘭			(13) 水仙屬 (<i>Narcissus spp.</i>)	(30) 加拿大		
(14) 萵苣 (<i>Lactuca sativa</i>)	(32) 羅馬尼亞 (33) 塞爾維亞			(14) 甜櫻桃 (<i>Prunus avium</i>)			
(15) 百合屬 (<i>Lilium spp.</i>)	(34) 南斯拉夫 (35) 斯洛維尼亞			(15) 杏 (<i>Prunus armeniaca</i>)			
(16) 水仙 (<i>Narcissus spp.</i>)	(36) 西班牙 (37) 瑞典			(16) 歐洲酸櫻桃 (<i>Prunus cerasus</i>)			
(17) 橄欖 (<i>Olea europaea</i>)	(38) 瑞士 (39) 芬蘭			(17) 歐洲李 (<i>Prunus domestica</i>)			
(18) 矮牽牛屬 (<i>Petunia spp.</i>)	(40) 英國 (41) 烏克蘭			(18) 扁桃 (<i>Prunus dulcis</i>)			
(19) 敏豆 (<i>Phaseolus vulgaris</i>)	(42) 加拿大 (43) 墨西哥			(19) 桂櫻 (<i>Prunus laurocerasus</i>)			
(20) 甜櫻桃 (<i>Prunus avium</i>)	(44) 美國 中南美			(20) 桃 (<i>Prunus persica</i>)			
(21) 杏				(21) 大黃 (<i>Rheum palmatum</i>)			

<p>(<i>Prunus armeniaca</i>) (22)歐洲酸櫻桃 (<i>Prunus cerasus</i>) (23)歐洲李 (<i>Prunus domestica</i>) (24)扁桃 (<i>Prunus dulcis</i>) (25)桂櫻 (<i>Prunus laurocerasus</i>) (26)桃 (<i>Prunus persica</i>) (27)大黃 (<i>Rheum palmatum</i>) (28)薔薇屬 (<i>Rosa spp.</i>) (29)覆盆子 (<i>Rubus idaeus</i>) (30)西洋接骨木 (<i>Sambucus nigra</i>) (31)白花苜蓿 (<i>Trifolium repens</i>) (32)馬鞭草屬 (<i>Verbena spp.</i>) (33)葡萄 (<i>Vitis vinifera</i>)</p>	<p>(45) 智利</p>			<p>(22) 薔薇屬 (<i>Rosa spp.</i>) (23) 覆盆子 (<i>Rubus idaeus</i>) (24) 西洋接骨木 (<i>Sambucus nigra</i>) (25) 白花苜蓿 (<i>Trifolium repens</i>) (26) 葡萄 (<i>Vitis vinifera</i>)</p>		
<p>50.下列繁殖用生植株 (種子除外): (1) 無花果 (<i>Ficus carica</i>)</p>	<p>亞洲及太平洋地區 (1) 澳大利亞 (2) 中國大陸 (3) 伊朗 (4) 以色列 (5) 日本 (6) 約旦 (7) 黎巴嫩 (8) 紐西蘭 (9) 敘利亞 (10) 土耳其 非洲 (11) 阿爾及利亞 (12) 突尼西亞</p>	<p>無花果嵌紋病毒 (<i>Fig mosaic virus</i> (Emaravirus))</p>	<p>應檢附輸出國 植物檢疫機關 (構)簽發之植 物檢疫證明 書,證明經田間 檢疫或於輸出 前經實驗室檢 測未罹染無花 果嵌紋病毒,否 則銷燬或退運。</p>		<p>一、本項新增。 二、依據有害生物風險評估報告,無花果嵌 紋病毒經由疫區之生植株或地上部傳入 我國風險高,爰依據本局植物防疫檢疫 諮議會檢疫小組第四十二次會議決議, 增列本項規定。</p>	

	<p>歐洲 (13) 克羅埃西亞 (14) 希臘 (15) 義大利 (16) 塞爾維亞 (17) 西班牙 (18) 英國 北美 (19) 加拿大 (20) 美國 中南美 (21) 波多黎各</p>				
<p>51. 下列繁殖用生植株 (種子除外): (1) 烏頭屬 (<i>Aconitum</i> spp.) (2) 百合水仙屬 (<i>Alstroemeria</i> spp.) (3) 白頭翁屬 (<i>Anemone</i> spp.) (4) 金魚草屬 (<i>Antirrhinum</i> spp.) (5) 花生 (<i>Arachis hypogaea</i>) (6) 臺灣山蘇花 (<i>Asplenium nidus</i>) (7) 秋海棠屬 (<i>Begonia</i> spp.) (8) 寒丁子屬 (<i>Bouvardia</i> spp.) (9) 翠菊屬 (<i>Callistephus</i> spp.) (10) 番椒屬 (<i>Capsicum</i> spp.) (11) 菊苣</p>	<p>亞洲及太平洋地區 (1) 中國大陸 (2) 伊朗 (3) 以色列 (4) 日本 (5) 紐西蘭 非洲 (6) 烏干達 歐洲 (7) 奧地利 (8) 比利時 (9) 保加利亞 (10) 捷克 (11) 法國 (12) 德國 (13) 匈牙利 (14) 義大利 (15) 馬其頓 (16) 荷蘭 (17) 波蘭 (18) 葡萄牙 (19) 斯洛維尼亞 (20) 西班牙 (21) 英國 (22) 烏克蘭 北美 (23) 加拿大</p>	<p>鳳仙花壞疽斑點病毒 (<i>Impatiens necrotic spot virus</i>, Tospovirus)</p>	<p>應檢附輸出國植物檢疫機關 (構) 簽發之植物檢疫證明書, 證明經田間檢疫未染鳳仙花壞疽斑點病毒, 或於輸出前經實驗室檢測未染鳳仙花壞疽斑點病毒, 否則銷燬或退運。</p>		<p>一、本項新增。 二、依據防檢局植物防疫檢疫諮議委員會檢疫小組第四十六次會議決議, 新增鳳仙花壞疽斑點病毒 (<i>Impatiens necrotic spot virus</i>, Tospovirus) 之檢疫條件, 爰增列本項。</p>

(12) 菊屬 (<i>Cichorium endivia</i>) (<i>Chrysanthemum</i> spp. = <i>Dendranthema</i> spp.)	(24) 墨西哥 (25) 美國 中南美 (26) 智利 (27) 哥斯大黎加				
(13) 鯨魚花屬 (<i>Columnea</i> spp.)					
(14) 胡瓜 (<i>Cucumis sativus</i>)					
(15) 仙客來 (<i>Cyclamen persicum</i>)					
(16) 大理花屬 (<i>Dahlia</i> spp.)					
(17) 石斛蘭屬 (<i>Dendrobium</i> spp.)					
(18) 洋桔梗 (<i>Eustoma grandiflorum</i>)					
(19) 紫芳草 (<i>Exacum affine</i>)					
(20) 八角金盤 (<i>Fatsia japonica</i>)					
(21) 唐菖蒲屬 (<i>Gladiolus</i> spp.)					
(22) 大丁草屬 (<i>Gerbera</i> spp.)					
(23) 蜘蛛百合屬 (<i>Hymenocallis</i> spp.)					
(24) 鳳仙花屬 (<i>Impatiens</i> spp.)					
(25) 萵苣 (<i>Lactuca sativa</i>)					
(26) 補血草屬 (<i>Limonium</i> spp.)					

(27) 山梗菜屬 (<i>Lobelia</i> spp.)					
(28) 囊距花屬 (<i>Nemesia</i> spp.)					
(29) 菸草 (<i>Nicotiana tabacum</i>)					
(30) 羅勒 (<i>Ocimum basilicum</i>)					
(31) 蝴蝶蘭屬 (<i>Phalaenopsis spp.</i>)					
(32) 墨西哥酸漿 (<i>Physalis ixocarpa</i>)					
(33) 海桐花屬 (<i>Pittosporum spp.</i>)					
(34) 櫻草屬 (<i>Primula</i> spp.)					
(35) 毛茛屬 (<i>Ranunculus spp.</i>)					
(36) 懸鈎子屬 (<i>Rubus</i> spp.)					
(37) 長生草屬 (<i>Sempervivum spp.</i>)					
(38) 瓜葉菊 (<i>Senecio cruentus</i>)					
(39) 大岩桐 (<i>Sinningia speciosa = Gloxinia speciosa</i>)					
(40) 番茄 (<i>Solanum lycopersicum = Lycopersicum</i>)					

<p>esculentum) (41) 馬鈴薯 (<i>Solanum tuberosum</i>) (42) 芭葉芋屬 (<i>Spathiphyllum</i> spp.) (43) 菠菜 (<i>Spinacea oleracea</i> = <i>Spinacia oleracea</i>) (44) 萵苣類 (<i>Valerianella olitoria</i>) (45) 海芋 (<i>Zantedeschia aethiopica</i>)</p>					
<p>52. 下列繁殖用生植株 (種子除外) (1) 蘭科 (Orchidaceae)</p>	<p>亞洲及太平洋地區 (1) 中國大陸 (2) 日本 (3) 南韓 (4) 澳大利亞 非洲 (5) 南非 歐洲 (6) 德國 (7) 丹麥 北美 (8) 美國 中南美 (9) 巴西 (10) 哥倫比亞 (11) 哥斯大黎加</p>	<p>蘭花斑點病毒 (<i>Orchid fleck virus</i>)</p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未染蘭花斑點病毒,或於輸出前經實驗室檢測未染蘭花斑點病毒,否則銷燬或退運。</p>		<p>一、本項新增。 二、依據防檢局植物防疫檢疫諮議委員會檢疫小組第四十六次會議決議,新增蘭花斑點病毒(<i>Orchid fleck virus</i>)之檢疫條件,爰增列本項。</p>

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群 (Taxa) 有害生物採取檢疫處理措施。

昆蟲類(342種)

Acalolepta cervina
Acanthoscelides obtectus
Acanthoscelides pallidipennis
Acleris gloverana
Acleris variana
Acrogonia terminalis
Acrolepiopsis assectella
Acropolitis rudisana
Adelges tsugae
Adoxophyes orana
Aeolesthes sarta
Aeolothrips fasciatus
Aethina tumida
Affirmaspis socotrana
Agrilus mali
Amorbia emigratella
Anaphothrips obscurus
Anastrepha grandis
Anastrepha striata
Anastrepha suspensa
Anchastus swezeyi
Anomala sulcatula
Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Aonidiella lauretorum
Aonidiella orientalis
Aonidiella tinerfinensis
Aphis fabae
Aphis sedi
Apis mellifera capensis
Apis mellifera scutellata
Archips micaceanus
Argyrotaenia ljugiana
Artitropa comus
Aspidiotus nerii
Aspidiotus spinosus
Asterolecanium spp.
Bactrocera albistrigata
Bactrocera aquilonis
Bactrocera cucumis
Bactrocera decipiens

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群 (Taxa) 有害生物採取檢疫處理措施。

昆蟲類(340種)

Acalolepta cervina
Acanthoscelides obtectus
Acanthoscelides pallidipennis
Acleris gloverana
Acleris variana
Acrogonia terminalis
Acrolepiopsis assectella
Acropolitis rudisana
Adelges tsugae
Adoxophyes orana
Aeolesthes sarta
Aeolothrips fasciatus
Aethina tumida
Affirmaspis socotrana
Agrilus mali
Amorbia emigratella
Anaphothrips obscurus
Anastrepha grandis
Anastrepha striata
Anastrepha suspensa
Anchastus swezeyi
Anomala sulcatula
Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Aonidiella lauretorum
Aonidiella orientalis
Aonidiella tinerfinensis
Aphis fabae
Aphis sedi
Apis mellifera capensis
Apis mellifera scutellata
Archips micaceanus
Argyrotaenia ljugiana
Artitropa comus
Aspidiotus nerii
Aspidiotus spinosus
Asterolecanium spp.
Bactrocera albistrigata
Bactrocera aquilonis
Bactrocera cucumis
Bactrocera decipiens

依據有害生物風險評估結果，昆蟲類增列石斛癭蚧 *Contarinia maculipennis* 及石斛白盾介殼蟲 *Pseudaulacaspis dendrobii*，雜草類增列粉黛亂子草 *Muhlenbergia capillaris* 及 *M. reverchonii*，病毒類配合鳳仙花壞疽斑點病毒 (*Impatiens necrotic spot virus*, Tospovirus) 於乙、第一點第 51 項訂定檢疫條件，爰自清單刪除，另真菌類之 *Didymella ligulicola* 依科學資料應修正為 *Stagonosporopsis chrysanthemi* (無性世代：*Didymella ligulicola*)。

<i>Bactrocera diversa</i>	<i>Bactrocera diversa</i>	
<i>Bactrocera fascialis</i>	<i>Bactrocera fascialis</i>	
<i>Bactrocera frauenfeldi</i>	<i>Bactrocera frauenfeldi</i>	
<i>Bactrocera jarvisi</i>	<i>Bactrocera jarvisi</i>	
<i>Bactrocera kirki</i>	<i>Bactrocera kirki</i>	
<i>Bactrocera latifrons</i>	<i>Bactrocera latifrons</i>	
<i>Bactrocera melanota</i>	<i>Bactrocera melanota</i>	
<i>Bactrocera musae</i>	<i>Bactrocera musae</i>	
<i>Bactrocera neohumeralis</i>	<i>Bactrocera neohumeralis</i>	
<i>Bactrocera occipitalis</i>	<i>Bactrocera occipitalis</i>	
<i>Bactrocera oleae</i>	<i>Bactrocera oleae</i>	
<i>Bactrocera passiflorae</i>	<i>Bactrocera passiflorae</i>	
<i>Bactrocera psidii</i>	<i>Bactrocera psidii</i>	
<i>Bactrocera trivialis</i>	<i>Bactrocera trivialis</i>	
<i>Bactrocera tuberculata</i>	<i>Bactrocera tuberculata</i>	
<i>Bactrocera umbrosa</i>	<i>Bactrocera umbrosa</i>	
<i>Bagrada hilaris</i>	<i>Bagrada hilaris</i>	
<i>Bactrocera xanthodes</i>	<i>Bactrocera xanthodes</i>	
<i>Bemisia cordylinidis</i>	<i>Bemisia cordylinidis</i>	
<i>Blitopertha orientalis</i>	<i>Blitopertha orientalis</i>	
<i>Brachycaudus cardui</i>	<i>Brachycaudus cardui</i>	
<i>Brachycaudus persicae</i>	<i>Brachycaudus persicae</i>	
<i>Brachycerus spp.</i>	<i>Brachycerus spp.</i>	
<i>Brachydactyla discoidea</i>	<i>Brachydactyla discoidea</i>	
<i>Bruchophagus roddi</i>	<i>Bruchophagus roddi</i>	
<i>Bruchus pisorum</i>	<i>Bruchus pisorum</i>	
<i>Bruchus rufimanus</i>	<i>Bruchus rufimanus</i>	
<i>Bulbifer homeorhynchus</i>	<i>Bulbifer homeorhynchus</i>	
<i>Cacoecimorpha pronubana</i>	<i>Cacoecimorpha pronubana</i>	
<i>Cacopsylla chinensis</i>	<i>Cacopsylla chinensis</i>	
<i>Cacyreus marshalli</i>	<i>Cacyreus marshalli</i>	
<i>Callipogon relictus</i>	<i>Callipogon relictus</i>	
<i>Callosobruchus analis</i>	<i>Callosobruchus analis</i>	
<i>Callosobruchus phaseoli</i>	<i>Callosobruchus phaseoli</i>	
<i>Camponotus floridanus</i>	<i>Camponotus floridanus</i>	
<i>Camponotus herculeanus</i>	<i>Camponotus herculeanus</i>	
<i>Camponotus kiusiuensis</i>	<i>Camponotus kiusiuensis</i>	
<i>Camponotus noveboracensis</i>	<i>Camponotus noveboracensis</i>	
<i>Camponotus obscuripes</i>	<i>Camponotus obscuripes</i>	
<i>Camponotus pennsylvanicus</i>	<i>Camponotus pennsylvanicus</i>	
<i>Capitophorus horni</i>	<i>Capitophorus horni</i>	
<i>Capua tortrix</i>	<i>Capua tortrix</i>	
<i>Cataenococcus hispidus</i>	<i>Cataenococcus hispidus</i>	
<i>Catamacta lotinana</i>	<i>Catamacta lotinana</i>	
<i>Ceratitis spp.</i>	<i>Ceratitis spp.</i>	
<i>Chaetanaphothrips signipennis</i>	<i>Chaetanaphothrips signipennis</i>	
<i>Chalcophora japonica</i>	<i>Chalcophora japonica</i>	
<i>Choristoneura conflictana</i>	<i>Choristoneura conflictana</i>	
<i>Choristoneura fumiferana</i>	<i>Choristoneura fumiferana</i>	

<p> <i>Choristoneura occidentalis</i> <i>Choristoneura rosaceana</i> <i>Chrysomphalus diversicolor</i> <i>Chrysomphalus pinnulifer</i> <i>Cilaeopeplus swezeyi</i> <i>Coccidohystrix insolita</i> <i>Coccus spp.</i> <i>Conoderus eveillardi</i> <i>Conoderus rufangulus</i> <i>Conopia hector</i> <i>Conotrachelus aguacatae</i> <u><i>Contarinia maculipennis</i></u> <i>Contarinia nasturtii</i> <i>Contarinia sorghicola</i> <i>Coptotermes curvignathus</i> <i>Copturus aguacatae</i> <i>Crematogaster matsumurai</i> <i>Crematogaster teranishii</i> <i>Cryptophlebia leucotreta</i> <i>Cryptorhynchus lapathi</i> <i>Curculio davidi</i> <i>Curculio elephas</i> <i>Curculio nucum</i> <i>Cydia latiferreana</i> <i>Cydia splendana</i> <i>Dacus bivittatus</i> <i>Dacus vertebrates</i> <i>Daktulosphaira vitifoliae</i> <i>Dasineura mali</i> <i>Dendroctonus adjunctus</i> <i>Dendroctonus ponderosae</i> <i>Dendroctonus rufipennis</i> <i>Dendrolimus sibiricus</i> <i>Delia antique</i> <i>Delia platura</i> <i>Diabrotica barberi</i> <i>Diabrotica speciosa</i> <i>Diabrotica undecimpunctata</i> <i>Diabrotica virgifera virgifera</i> <i>Diaprepes abbreviatus</i> <i>Diaspidiotus gigas</i> <i>Diaspidiotus ostreaeformis</i> <i>Diaspidiotus pyri</i> <i>Diatraea saccharalis</i> <i>Dilobopterus costalimai</i> <i>Dociostaurus maroccanus</i> <i>Draeculacephala minerva</i> <i>Dreyfusia piceae</i> <i>Drosophila suzukii</i> </p>	<p> <i>Choristoneura occidentalis</i> <i>Choristoneura rosaceana</i> <i>Chrysomphalus diversicolor</i> <i>Chrysomphalus pinnulifer</i> <i>Cilaeopeplus swezeyi</i> <i>Coccidohystrix insolita</i> <i>Coccus spp.</i> <i>Conoderus eveillardi</i> <i>Conoderus rufangulus</i> <i>Conopia hector</i> <i>Conotrachelus aguacatae</i> </p> <p> <i>Contarinia nasturtii</i> <i>Contarinia sorghicola</i> <i>Coptotermes curvignathus</i> <i>Copturus aguacatae</i> <i>Crematogaster matsumurai</i> <i>Crematogaster teranishii</i> <i>Cryptophlebia leucotreta</i> <i>Cryptorhynchus lapathi</i> <i>Curculio davidi</i> <i>Curculio elephas</i> <i>Curculio nucum</i> <i>Cydia latiferreana</i> <i>Cydia splendana</i> <i>Dacus bivittatus</i> <i>Dacus vertebrates</i> <i>Daktulosphaira vitifoliae</i> <i>Dasineura mali</i> <i>Dendroctonus adjunctus</i> <i>Dendroctonus ponderosae</i> <i>Dendroctonus rufipennis</i> <i>Dendrolimus sibiricus</i> <i>Delia antique</i> <i>Delia platura</i> <i>Diabrotica barberi</i> <i>Diabrotica speciosa</i> <i>Diabrotica undecimpunctata</i> <i>Diabrotica virgifera virgifera</i> <i>Diaprepes abbreviatus</i> <i>Diaspidiotus gigas</i> <i>Diaspidiotus ostreaeformis</i> <i>Diaspidiotus pyri</i> <i>Diatraea saccharalis</i> <i>Dilobopterus costalimai</i> <i>Dociostaurus maroccanus</i> <i>Draeculacephala minerva</i> <i>Dreyfusia piceae</i> <i>Drosophila suzukii</i> </p>	
--	---	--

<i>Dryocoetes confuses</i>	<i>Dryocoetes confuses</i>	
<i>Dryocosmus kuriphilus</i>	<i>Dryocosmus kuriphilus</i>	
<i>Dysmicoccus nesophilus</i>	<i>Dysmicoccus nesophilus</i>	
<i>Dyspessa ulula</i>	<i>Dyspessa ulula</i>	
<i>Earias vittella</i>	<i>Earias vittella</i>	
<i>Echinothrips americanus</i>	<i>Echinothrips americanus</i>	
<i>Elytroteinus subtruncatus</i>	<i>Elytroteinus subtruncatus</i>	
<i>Epiphyas postvittana</i>	<i>Epiphyas postvittana</i>	
<i>Epitrix cucumeris</i>	<i>Epitrix cucumeris</i>	
<i>Epitrix tuberis</i>	<i>Epitrix tuberis</i>	
<i>Eriosoma lanigerum</i>	<i>Eriosoma lanigerum</i>	
<i>Eublemma rufimixta</i>	<i>Eublemma rufimixta</i>	
<i>Eucalymnatus tessellatus</i>	<i>Eucalymnatus tessellatus</i>	
<i>Euproctis chrysorrhoea</i>	<i>Euproctis chrysorrhoea</i>	
<i>Eurytoma laricis</i>	<i>Eurytoma laricis</i>	
<i>Eustalodes anthivora</i>	<i>Eustalodes anthivora</i>	
<i>Exosoma lusitanica</i>	<i>Exosoma lusitanica</i>	
<i>Frankliniella spp.</i>	<i>Frankliniella spp.</i>	
<i>Furcaspis oceanica</i>	<i>Furcaspis oceanica</i>	
<i>Glaucothrips glaucus</i>	<i>Glaucothrips glaucus</i>	
<i>Gnathotrichus sulcatus</i>	<i>Gnathotrichus sulcatus</i>	
<i>Gonipterus gibberus</i>	<i>Gonipterus gibberus</i>	
<i>Graphocephala atropunctata</i>	<i>Graphocephala atropunctata</i>	
<i>Grapholita funebrana</i>	<i>Grapholita funebrana</i>	
<i>Grapholita inopinata</i>	<i>Grapholita inopinata</i>	
<i>Grapholita molesta</i>	<i>Grapholita molesta</i>	
<i>Grapholita packardi</i>	<i>Grapholita packardi</i>	
<i>Grapholita prunivora</i>	<i>Grapholita prunivora</i>	
<i>Heilipus lauri</i>	<i>Heilipus lauri</i>	
<i>Helicoverpa zea</i>	<i>Helicoverpa zea</i>	
<i>Hemiberlesia cyanophylli</i>	<i>Hemiberlesia cyanophylli</i>	
<i>Hemiberlesia palmae</i>	<i>Hemiberlesia palmae</i>	
<i>Hemimene juliana</i>	<i>Hemimene juliana</i>	
<i>Hesperophanes campestris</i>	<i>Hesperophanes campestris</i>	
<i>Heterobostrychus aequalis</i>	<i>Heterobostrychus aequalis</i>	
<i>Heteronychus arator</i>	<i>Heteronychus arator</i>	
<i>Holotrichia mindanaona</i>	<i>Holotrichia mindanaona</i>	
<i>Homalodisca coagulata</i>	<i>Homalodisca coagulata</i>	
<i>Howardia biclavis</i>	<i>Howardia biclavis</i>	
<i>Hylastes ater</i>	<i>Hylastes ater</i>	
<i>Hylurgopinus rufipes</i>	<i>Hylurgopinus rufipes</i>	
<i>Hyphantria cunea</i>	<i>Hyphantria cunea</i>	
<i>Hypothenemus hampei</i>	<i>Hypothenemus hampei</i>	
<i>Insulaspis orsoni</i>	<i>Insulaspis orsoni</i>	
<i>Ips calligraphus</i>	<i>Ips calligraphus</i>	
<i>Ips confusus</i>	<i>Ips confusus</i>	
<i>Ips grandicollis</i>	<i>Ips grandicollis</i>	
<i>Ips lecontei</i>	<i>Ips lecontei</i>	
<i>Ips pini</i>	<i>Ips pini</i>	

<p> <i>Ips plastographus</i> <i>Ips typographus</i> <i>Iridomyrmex cordatus</i> <i>Iridomyrmex humilis</i> = <i>Linepithema humile</i> <i>Ischnaspis longirostris</i> <i>Kandyosilis cochleata</i> <i>Kytorhinus immixtus</i> <i>Laspeyresia</i> spp. <i>Lepidosaphes salicina</i> <i>Lepidosaphes tokionis</i> <i>Leptocybe invasa</i> <i>Leucoptera malifoliella</i> <i>Limoniuss californicus</i> <i>Liposcelis decolor</i> <i>Listroderes subcinctus</i> <i>Listronotus bonariensis</i> <i>Lobesia botrana</i> <i>Locusta migratoria</i> <i>Lopholeucaspis cockerelli</i> <i>Lymantria dispar</i> <i>Lymantria monacha</i> <i>Macrosiphum euphorbiae</i> <i>Malacosoma americanum</i> <i>Malacosoma disstria</i> <i>Margarodes prieskaensis</i> <i>Margarodes vredendalensis</i> <i>Matsucoccus matsumurae</i> <i>Mayetiola destructor</i> <i>Megalometis chilensis</i> <i>Melanaspis corticosa</i> <i>Melanaspis elaeagni</i> <i>Melanaspis nigropunctata</i> <i>Melanotus communis</i> <i>Metamasius</i> spp. <i>Monochamus</i> spp. <i>Mudaria luteileprosa</i> <i>Mudaria magniplaga</i> <i>Mycetaspis personata</i> <i>Mycetaspis sphaerioides</i> <i>Myzus ornatus</i> <i>Nasutitermes corniger</i> <i>Naupactus xanthographus</i> <i>Nemorimyza maculosa</i> <i>Neomaskellia bergii</i> <i>Neoselenaspidus silvaticus</i> <i>Nipaecoccus nipae</i> <i>Nomadacris septemfasciata</i> <i>Nysius vinitor</i> <i>Oncometopia fascialis</i> </p>	<p> <i>Ips plastographus</i> <i>Ips typographus</i> <i>Iridomyrmex cordatus</i> <i>Iridomyrmex humilis</i> = <i>Linepithema humile</i> <i>Ischnaspis longirostris</i> <i>Kandyosilis cochleata</i> <i>Kytorhinus immixtus</i> <i>Laspeyresia</i> spp. <i>Lepidosaphes salicina</i> <i>Lepidosaphes tokionis</i> <i>Leptocybe invasa</i> <i>Leucoptera malifoliella</i> <i>Limoniuss californicus</i> <i>Liposcelis decolor</i> <i>Listroderes subcinctus</i> <i>Listronotus bonariensis</i> <i>Lobesia botrana</i> <i>Locusta migratoria</i> <i>Lopholeucaspis cockerelli</i> <i>Lymantria dispar</i> <i>Lymantria monacha</i> <i>Macrosiphum euphorbiae</i> <i>Malacosoma americanum</i> <i>Malacosoma disstria</i> <i>Margarodes prieskaensis</i> <i>Margarodes vredendalensis</i> <i>Matsucoccus matsumurae</i> <i>Mayetiola destructor</i> <i>Megalometis chilensis</i> <i>Melanaspis corticosa</i> <i>Melanaspis elaeagni</i> <i>Melanaspis nigropunctata</i> <i>Melanotus communis</i> <i>Metamasius</i> spp. <i>Monochamus</i> spp. <i>Mudaria luteileprosa</i> <i>Mudaria magniplaga</i> <i>Mycetaspis personata</i> <i>Mycetaspis sphaerioides</i> <i>Myzus ornatus</i> <i>Nasutitermes corniger</i> <i>Naupactus xanthographus</i> <i>Nemorimyza maculosa</i> <i>Neomaskellia bergii</i> <i>Neoselenaspidus silvaticus</i> <i>Nipaecoccus nipae</i> <i>Nomadacris septemfasciata</i> <i>Nysius vinitor</i> <i>Oncometopia fascialis</i> </p>	
--	--	--

<p> <i>Operophtera brumata</i> <i>Opogona sacchari</i> <i>Opuntiaspis carinata</i> <i>Orgyia antiqua</i> <i>Orgyia pseudotsugata</i> <i>Orthezia insignis</i> <i>Oryctes monoceros</i> <i>Ostrinia nubilalis</i> <i>Otiorhynchus ligustici</i> <i>Oulema melanopus</i> <i>Oviticoccus agavium</i> <i>Pammene fasciana</i> <i>Paralipsa gularis</i> <i>Paranthrene tabaniformis</i> <i>Paraputo hispidus</i> <i>Parthenolecanium corni</i> <i>Pectinophora scutigera</i> <i>Perileucoptera coffeella</i> <i>Phalaenoides glycinae</i> <i>Phenacaspis tangana</i> <i>Phenacoccus manihoti</i> <i>Phyllophaga</i> spp. <i>Pinnaspis dracaeanae</i> <i>Pinnaspis strachani</i> <i>Pissodes nemorensis</i> <i>Pissodes strobi</i> <i>Pissodes terminalis</i> <i>Pogonomyrmex occidentalis</i> <i>Prays endocarpa</i> <i>Premnotrypes latithorax</i> <i>Premnotrypes suturicallus</i> <i>Premnotrypes vorax</i> <i>Proeulia</i> spp. <i>Promecotheca cumingii</i> <i>Prostephanus truncatus</i> <i>Proterhinus vestitus</i> <i>Pseudischnaspis bowreyi</i> <u><i>Pseudaulacaspis dendrobii</i></u> <i>Pseudococcus</i> spp. <i>Pterandrus</i> spp. <i>Ptilodactyla exotica</i> <i>Pulvinaria urbicola</i> <i>Pulvinaria vitis</i> <i>Rhagoletis cerasi</i> <i>Rhagoletis cingulata</i> <i>Rhagoletis fausta</i> <i>Rhagoletis indifferens</i> <i>Rhagoletis mendax</i> <i>Rhizoecus amorphophalli</i> </p>	<p> <i>Operophtera brumata</i> <i>Opogona sacchari</i> <i>Opuntiaspis carinata</i> <i>Orgyia antiqua</i> <i>Orgyia pseudotsugata</i> <i>Orthezia insignis</i> <i>Oryctes monoceros</i> <i>Ostrinia nubilalis</i> <i>Otiorhynchus ligustici</i> <i>Oulema melanopus</i> <i>Oviticoccus agavium</i> <i>Pammene fasciana</i> <i>Paralipsa gularis</i> <i>Paranthrene tabaniformis</i> <i>Paraputo hispidus</i> <i>Parthenolecanium corni</i> <i>Pectinophora scutigera</i> <i>Perileucoptera coffeella</i> <i>Phalaenoides glycinae</i> <i>Phenacaspis tangana</i> <i>Phenacoccus manihoti</i> <i>Phyllophaga</i> spp. <i>Pinnaspis dracaeanae</i> <i>Pinnaspis strachani</i> <i>Pissodes nemorensis</i> <i>Pissodes strobi</i> <i>Pissodes terminalis</i> <i>Pogonomyrmex occidentalis</i> <i>Prays endocarpa</i> <i>Premnotrypes latithorax</i> <i>Premnotrypes suturicallus</i> <i>Premnotrypes vorax</i> <i>Proeulia</i> spp. <i>Promecotheca cumingii</i> <i>Prostephanus truncatus</i> <i>Proterhinus vestitus</i> <i>Pseudischnaspis bowreyi</i> <i>Pseudococcus</i> spp. <i>Pterandrus</i> spp. <i>Ptilodactyla exotica</i> <i>Pulvinaria urbicola</i> <i>Pulvinaria vitis</i> <i>Rhagoletis cerasi</i> <i>Rhagoletis cingulata</i> <i>Rhagoletis fausta</i> <i>Rhagoletis indifferens</i> <i>Rhagoletis mendax</i> <i>Rhizoecus amorphophalli</i> </p>	
--	---	--

<i>Rhizoecus floridanus</i>	<i>Rhizoecus floridanus</i>	
<i>Rhizoecus simplex</i>	<i>Rhizoecus simplex</i>	
<i>Rhodogastria carneola</i>	<i>Rhodogastria carneola</i>	
<i>Rhynchophorus palmarum</i>	<i>Rhynchophorus palmarum</i>	
<i>Rondotia menciiana</i>	<i>Rondotia menciiana</i>	
<i>Sahlbergella singularis</i>	<i>Sahlbergella singularis</i>	
<i>Sardia pluto</i>	<i>Sardia pluto</i>	
<i>Scirtothrips aurantii</i>	<i>Scirtothrips aurantii</i>	
<i>Scirtothrips citri</i>	<i>Scirtothrips citri</i>	
<i>Schistocerca gregaria</i>	<i>Schistocerca gregaria</i>	
<i>Scolytus morawitzi</i>	<i>Scolytus morawitzi</i>	
<i>Scolytus multistriatus</i>	<i>Scolytus multistriatus</i>	
<i>Scolytus scolytus</i>	<i>Scolytus scolytus</i>	
<i>Scyphophorus acupunctatus</i>	<i>Scyphophorus acupunctatus</i>	
<i>Selenaspidus antsingyi</i>	<i>Selenaspidus antsingyi</i>	
<i>Selenaspidus littoralis</i>	<i>Selenaspidus littoralis</i>	
<i>Sesamia cretica</i>	<i>Sesamia cretica</i>	
<i>Sirex noctilio</i>	<i>Sirex noctilio</i>	
<i>Sitophilus granarius</i>	<i>Sitophilus granarius</i>	
<i>Sminthurus viridis</i>	<i>Sminthurus viridis</i>	
<i>Solenopsis invicta</i>	<i>Solenopsis invicta</i>	
<i>Solenopsis richteri</i>	<i>Solenopsis richteri</i>	
<i>Solenopsis richteri</i> × <i>Solenopsis</i>	<i>Solenopsis richteri</i> × <i>Solenopsis</i>	
<i>Solenopsis xyloni</i>	<i>Solenopsis xyloni</i>	
<i>Sphaeraspis vitis</i>	<i>Sphaeraspis vitis</i>	
<i>Spilonota lechriaspis</i>	<i>Spilonota lechriaspis</i>	
<i>Spilonota pyrusicola</i>	<i>Spilonota pyrusicola</i>	
<i>Spodoptera eridania</i>	<i>Spodoptera eridania</i>	
<i>Spodoptera frugiperda</i>	<i>Spodoptera frugiperda</i>	
<i>Spodoptera littoralis</i>	<i>Spodoptera littoralis</i>	
<i>Stenoma catenifer</i>	<i>Stenoma catenifer</i>	
<i>Taeniothrips samdensis</i>	<i>Taeniothrips samdensis</i>	
<i>Tecia solanivora</i>	<i>Tecia solanivora</i>	
<i>Tessaratomya papillosa</i>	<i>Tessaratomya papillosa</i>	
<i>Tetropium castaneum</i>	<i>Tetropium castaneum</i>	
<i>Tetropium fuscum</i>	<i>Tetropium fuscum</i>	
<i>Tetropium gracilicorne</i>	<i>Tetropium gracilicorne</i>	
<i>Thrips</i> spp.	<i>Thrips</i> spp.	
<i>Tomicus piniperda</i>	<i>Tomicus piniperda</i>	
<i>Toxotrypana curvicauda</i>	<i>Toxotrypana curvicauda</i>	
<i>Trioza erytrae</i>	<i>Trioza erytrae</i>	
<i>Trogoderma granarium</i>	<i>Trogoderma granarium</i>	
<i>Unaspis citri</i>	<i>Unaspis citri</i>	
<i>Urocerus japonicas</i>	<i>Urocerus japonicas</i>	
<i>Voraspis tangana</i>	<i>Voraspis tangana</i>	
<i>Wasmannia auropunctata</i>	<i>Wasmannia auropunctata</i>	
<i>Xyleborus affinis</i>	<i>Xyleborus affinis</i>	
<i>Xyleborus ferrugineus</i>	<i>Xyleborus ferrugineus</i>	
<i>Xyleborus rugatus</i>	<i>Xyleborus rugatus</i>	

Xylopsocus capucinus
Xylotrechus altaicus
Xyphon (formerly Carnecephala) fulgida
Yponomeuta malinellus
Zabrotes subfasciatus
Zonocerus elegans

真菌類 (82 種)

Alternaria gaisen
Anisogramma anomala
Apiosporina morbosa
Atropellis piniphila
Botryosphaeria laricina
Calonectria ilicicola
Ceratocystis fagacearum
Ceratocystis fimbriata
Chrysomyxa abietis
Chrysomyxa ledi
Ciborinia camelliae
Colletotrichum coccodes
Cronartium coleosporioides
Cronartium flaccidum
Cronartium quercuum f. sp. fusiforme
Cronartium himalayense
Cronartium kamtschaticum
Cronartium quercuum
Cryphonectria parasitica
Cylindrocarpon destructans
Cytospora sp.

Diaporthe phaseolorum
Diaporthe tanakae
Diaporthe vaccinii
Didymella ligulicola
Elsinoe australis
Endocronartium harknessii
Entyloma holwayi H. & P. Sydow
Eutypa lata
Fusarium subglutinans
Fusarium oxysporum f. sp.
Gaeumannomyces graminis
Gibberella circinata
Gremmeniella abietina
Gymnosporangium asiaticum
Gymnosporangium clavipes
Gymnosporangium fuscum
Gymnosporangium globosum
Gymnosporangium yamadae

Xylopsocus capucinus
Xylotrechus altaicus
Xyphon (formerly Carnecephala) fulgida
Yponomeuta malinellus
Zabrotes subfasciatus
Zonocerus elegans

真菌類 (82 種)

Alternaria gaisen
Anisogramma anomala
Apiosporina morbosa
Atropellis piniphila
Botryosphaeria laricina
Calonectria ilicicola
Ceratocystis fagacearum
Ceratocystis fimbriata
Chrysomyxa abietis
Chrysomyxa ledi
Ciborinia camelliae
Colletotrichum coccodes
Cronartium coleosporioides
Cronartium flaccidum
Cronartium quercuum f. sp. fusiforme
Cronartium himalayense
Cronartium kamtschaticum
Cronartium quercuum
Cryphonectria parasitica
Cylindrocarpon destructans
Cytospora sp.

Diaporthe mali
Diaporthe phaseolorum
Diaporthe tanakae
Diaporthe vaccinii
Didymella ligulicola
Elsinoe australis
Endocronartium harknessii
Entyloma holwayi H. & P. Sydow
Eutypa lata
Fusarium subglutinans
Fusarium oxysporum f. sp.
Gaeumannomyces graminis
Gibberella circinata
Gremmeniella abietina
Gymnosporangium asiaticum
Gymnosporangium clavipes
Gymnosporangium fuscum
Gymnosporangium globosum
Gymnosporangium yamadae

<p><i>Hymenoscyphus pseudoalbidus</i> <i>Lachnellula willkommii</i> <i>Leptosphaeria maculans</i> <i>Leptosphaeria nodorum</i> <i>Macrophomina phaseolina</i> <i>Marasmiellus scandens</i> <i>Melampsora farlowii</i> <i>Monilinia fructigena</i> <i>Nectria galligena</i> <i>Nectria mauritiicola</i> <i>Nectriella pironii</i> <i>Ophiostoma novo-ulmi</i> <i>Ophiostoma ulmi</i> <i>Ophiostoma wagneri</i> <i>Peronosclerospora maydis</i> <i>Peronosclerospora sacchari</i> <i>Phoma andigena</i> <i>Phoma exigua</i> var. <i>foveata</i> <i>Phoma tracheiphila</i> <i>Phomopsis viticola</i> <i>Phomopsis vitimegaspora</i> <i>Phomopsis vitimegasora</i> <i>Phymatotrichopsis omnivora</i> <i>Phytophthora fragariae</i> <i>Puccinia gladioli</i> <i>Puccinia mccleanii</i> <i>Puccinia pittieriana</i> <i>Rigidoporus lignosus</i> <i>Sclerotium cepivorum</i> <u><i>Stagonosporopsis chrysanthemi</i> (無性世代: <i>Didymella ligulicola</i>)</u></p> <p>病毒類 (466 種) <i>Abutilon mosaic virus</i> (AbMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Ageratum yellow vein virus</i> (AYVV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>African cassava mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Agropyron mosaic virus</i> (AgMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Alfalfa cryptic virus 1</i> (ACV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) <i>Alfalfa enation virus</i> <i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>) <i>Alsike clover vein mosaic virus</i> <i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>) <i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>) <i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Apple chat fruit disease</i> <i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>) <i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>) <i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)</p>	<p><i>Hymenoscyphus pseudoalbidus</i> <i>Lachnellula willkommii</i> <i>Leptosphaeria maculans</i> <i>Leptosphaeria nodorum</i> <i>Macrophomina phaseolina</i> <i>Marasmiellus scandens</i> <i>Melampsora farlowii</i> <i>Monilinia fructigena</i> <i>Nectria galligena</i> <i>Nectria mauritiicola</i> <i>Nectriella pironii</i> <i>Ophiostoma novo-ulmi</i> <i>Ophiostoma ulmi</i> <i>Ophiostoma wagneri</i> <i>Peronosclerospora maydis</i> <i>Peronosclerospora sacchari</i> <i>Phoma andigena</i> <i>Phoma exigua</i> var. <i>foveata</i> <i>Phoma tracheiphila</i> <i>Phomopsis viticola</i> <i>Phomopsis vitimegaspora</i> <i>Phomopsis vitimegasora</i> <i>Phymatotrichopsis omnivora</i> <i>Phytophthora fragariae</i> <i>Puccinia gladioli</i> <i>Puccinia mccleanii</i> <i>Puccinia pittieriana</i> <i>Rigidoporus lignosus</i> <i>Sclerotium cepivorum</i></p> <p>病毒類 (467 種) <i>Abutilon mosaic virus</i> (AbMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Ageratum yellow vein virus</i> (AYVV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>African cassava mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Agropyron mosaic virus</i> (AgMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Alfalfa cryptic virus 1</i> (ACV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) <i>Alfalfa enation virus</i> <i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>) <i>Alsike clover vein mosaic virus</i> <i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>) <i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>) <i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Apple chat fruit disease</i> <i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>) <i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>) <i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)</p>	
--	---	--

<p>Apple scar skin viroid (ASSVd) (<i>Pospiviroidae</i>, <i>Apscavirioid</i>) Apple stem grooving virus (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>) Apple stem pitting virus (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>) Araujia mosaic virus (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Arracacha Virus A (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>) Arracacha Virus B (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>) Arracacha Virus Y (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>) Artichoke Italian latent virus (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>) Artichoke latent virus (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>) Artichoke mottled crinkle virus (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>) Artichoke yellow ringspot virus (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Asparagus virus 1 (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>) Asparagus virus 2 (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>) Asparagus virus 3 (AV-3) (<i>Potexvirus</i>) Banana bunchy top virus (BBTV) (<i>Nanovirus</i>) Barley mild mosaic virus (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>) Barley mosaic virus (BBV) Barley yellow dwarf virus-GPV (BYDV-GPV) (<i>Luteovirus</i>) Barley yellow mosaic virus (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) Barley yellow striate mosaic virus (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) Bean calico mosaic virus (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean common mosaic virus (<i>Potyviridae</i>, <i>potyvirus</i>) Bean golden mosaic virus (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean leaf roll virus (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Bean mild mosaic virus (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>) Bean pod mottle virus (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean rugose mosaic virus (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean southern mosaic virus (SBMV) (<i>sobemovirus</i>) Bean yellow vein banding virus (BYVBV) (<i>Umbravirus</i>) Beet distortion mosaic virus Beet mild yellowing virus (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet mosaic virus (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Beet soil-borne virus (BSBV) (<i>Pomovirus</i>) Beet western yellows virus (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet yellows virus (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet yellow stunt virus (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet curly top virus (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>) Beet leaf curl virus (BLCV) (<i>Rhabdoviridae</i>) Beet necrotic yellow vein virus (BNYVV) (<i>Benyvirus</i>) Belladonna mottle virus (BeMV) (<i>Tymovirus</i>) Bermuda grass etched-line virus (BELV) (<i>Marafivirus</i>) Bhendi yellow vein mosaic virus (BYVMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bidens mosaic virus (BiMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Bidens mottle virus (BiMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) Black raspberry latent ilarvirus Black raspberry necrosis virus (BRNV) Blackcurrant reversion associated virus (BRAV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry leaf mottle virus (BLMoV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry necrotic shock virus (BIShV) (<i>ilarvirus</i>) Blueberry red ringspot virus (BRRV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) Blueberry scorch virus (BBScV) (<i>carlavirus</i>) Blueberry shoestring virus (BSSV) (<i>sobemovirus</i>) Broad bean B virus</p>	<p>Apple scar skin viroid (ASSVd) (<i>Pospiviroidae</i>, <i>Apscavirioid</i>) Apple stem grooving virus (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>) Apple stem pitting virus (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>) Araujia mosaic virus (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Arracacha Virus A (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>) Arracacha Virus B (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>) Arracacha Virus Y (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>) Artichoke Italian latent virus (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>) Artichoke latent virus (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>) Artichoke mottled crinkle virus (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>) Artichoke yellow ringspot virus (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Asparagus virus 1 (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>) Asparagus virus 2 (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>) Asparagus virus 3 (AV-3) (<i>Potexvirus</i>) Banana bunchy top virus (BBTV) (<i>Nanovirus</i>) Barley mild mosaic virus (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>) Barley mosaic virus (BBV) Barley yellow dwarf virus-GPV (BYDV-GPV) (<i>Luteovirus</i>) Barley yellow mosaic virus (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) Barley yellow striate mosaic virus (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) Bean calico mosaic virus (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean common mosaic virus (<i>Potyviridae</i>, <i>potyvirus</i>) Bean golden mosaic virus (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean leaf roll virus (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Bean mild mosaic virus (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>) Bean pod mottle virus (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean rugose mosaic virus (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean southern mosaic virus (SBMV) (<i>sobemovirus</i>) Bean yellow vein banding virus (BYVBV) (<i>Umbravirus</i>) Beet distortion mosaic virus Beet mild yellowing virus (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet mosaic virus (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Beet soil-borne virus (BSBV) (<i>Pomovirus</i>) Beet western yellows virus (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet yellows virus (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet yellow stunt virus (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet curly top virus (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>) Beet leaf curl virus (BLCV) (<i>Rhabdoviridae</i>) Beet necrotic yellow vein virus (BNYVV) (<i>Benyvirus</i>) Belladonna mottle virus (BeMV) (<i>Tymovirus</i>) Bermuda grass etched-line virus (BELV) (<i>Marafivirus</i>) Bhendi yellow vein mosaic virus (BYVMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bidens mosaic virus (BiMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Bidens mottle virus (BiMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) Black raspberry latent ilarvirus Black raspberry necrosis virus (BRNV) Blackcurrant reversion associated virus (BRAV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry leaf mottle virus (BLMoV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry necrotic shock virus (BIShV) (<i>ilarvirus</i>) Blueberry red ringspot virus (BRRV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) Blueberry scorch virus (BBScV) (<i>carlavirus</i>) Blueberry shoestring virus (BSSV) (<i>sobemovirus</i>) Broad bean B virus</p>	
--	--	--

<p><i>Broad bean necrosis virus (BBNV) (Pomovirus)</i> <i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i> <i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i> <i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i> <i>Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)</i> <i>Broad bean yellow ringspot virus</i> <i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i> <i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i> <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i> <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i> <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i> <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i> <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i> <i>Cactus virus (CV-2) (Carlavirus)</i> <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i> <i>Caper latent virus (CapLV) (Carlavirus)</i> <i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i> <i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i> <i>Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)</i> <i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i> <i>Carnation latent virus (CLV) (Carlavirus)</i> <i>Carnation mottle virus (CarMV) (Carmovirus)</i> <i>Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)</i> <i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i> <i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i> <i>Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i> <i>Carrot mottle virus (CMoV) (Umbravirus)</i> <i>Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)</i> <i>Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)</i> <i>Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)</i> <i>Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)</i> <i>Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)</i> <i>Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)</i> <i>Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)</i> <i>Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)</i> <i>Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)</i> <i>Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)</i> <i>Cowpea stunt virus (Luteovirus)</i> <i>Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)</i> <i>Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)</i> <i>Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)</i> <i>Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)</i> <i>Cassava virus X (CsVX) (Potexvirus)</i> <i>Cassia mosaic virus</i> <i>Cassia ringspot virus</i> <i>Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)</i></p>	<p><i>Broad bean necrosis virus (BBNV) (Pomovirus)</i> <i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i> <i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i> <i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i> <i>Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)</i> <i>Broad bean yellow ringspot virus</i> <i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i> <i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i> <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i> <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i> <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i> <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i> <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i> <i>Cactus virus (CV-2) (Carlavirus)</i> <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i> <i>Caper latent virus (CapLV) (Carlavirus)</i> <i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i> <i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i> <i>Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)</i> <i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i> <i>Carnation latent virus (CLV) (Carlavirus)</i> <i>Carnation mottle virus (CarMV) (Carmovirus)</i> <i>Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)</i> <i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i> <i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i> <i>Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i> <i>Carrot mottle virus (CMoV) (Umbravirus)</i> <i>Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)</i> <i>Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)</i> <i>Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)</i> <i>Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)</i> <i>Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)</i> <i>Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)</i> <i>Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)</i> <i>Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)</i> <i>Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)</i> <i>Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)</i> <i>Cowpea stunt virus (Luteovirus)</i> <i>Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)</i> <i>Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)</i> <i>Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)</i> <i>Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)</i> <i>Cassava virus X (CsVX) (Potexvirus)</i> <i>Cassia mosaic virus</i> <i>Cassia ringspot virus</i> <i>Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)</i></p>	
--	--	--

<p> <i>Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)</i> <i>Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)</i> <i>Celery mosaic virus (CeMV) (Potyviridae, potyvirus)</i> <i>Cereal northern mosaic virus (NCMV) (cytorhabdovirus)</i> <i>Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)</i> <i>Cassava common mosaic virus (CsCMV) (Potexvirus)</i> <i>Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)</i> <i>Cherry green ring mottle virus (CGRMV) (Foveavirus)</i> <i>Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)</i> <i>Cherry mottle leaf virus (CMLV) (Trichovirus)</i> <i>Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)</i> <i>Cherry virus A (CVA) (Capillovirus)</i> <i>Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)</i> <i>Chickpea distortion mosaic virus (Potyviridae, potyvirus)</i> <i>Chicory virus (ChVX) (potexvirus)</i> <i>Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)</i> <i>Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)</i> <i>Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)</i> <i>Chrysanthemum virus B (CVB) (Carlavirus)</i> <i>Citrus blight disease</i> <i>Citrus leprosis virus (CiLV) (Rhabdoviridae)</i> <i>Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)</i> <i>Citrus leaf rugose virus (CiLRV) (Rhabdoviridae, ilarvirus)</i> <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus (CSD- associated virus) (Marafivirus, Tymoviridae)</i> <i>Citrus variegation virus (CVV) (Bromoviridae, ilarvirus)</i> <i>Clitoria yellow vein virus (CYVV) (Tymovirus)</i> <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus (WTV) (Phytoreovirus)</i> <i>Clover yellow mosaic virus (CIYMV) (potexvirus)</i> <i>Clover yellows virus (CYV) (Closteroviridae, closterovirus)</i> <i>Clover yellow vein virus (CIYVV) (Potyviridae, potyvirus)</i> <i>Cocksfoot mottle virus (CoMV) (Sobemovirus)</i> <i>Coconut foliar decay virus (CFDV) (Nanavirus)</i> <i>Commelina diffusa virus (Potyviridae, potyvirus)</i> <i>Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)</i> <i>Commelina virus X (ComVX) (potexvirus)</i> <i>Commelina yellow mottle virus (ComYMV) (Caulimoviridae, badnavirus)</i> <i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae, bigeminivirus)</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus)</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> </p>	<p> <i>Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)</i> <i>Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)</i> <i>Celery mosaic virus (CeMV) (Potyviridae, potyvirus)</i> <i>Cereal northern mosaic virus (NCMV) (cytorhabdovirus)</i> <i>Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)</i> <i>Cassava common mosaic virus (CsCMV) (Potexvirus)</i> <i>Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)</i> <i>Cherry green ring mottle virus (CGRMV) (Foveavirus)</i> <i>Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)</i> <i>Cherry mottle leaf virus (CMLV) (Trichovirus)</i> <i>Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)</i> <i>Cherry virus A (CVA) (Capillovirus)</i> <i>Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)</i> <i>Chickpea distortion mosaic virus (Potyviridae, potyvirus)</i> <i>Chicory virus (ChVX) (potexvirus)</i> <i>Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)</i> <i>Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)</i> <i>Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)</i> <i>Chrysanthemum virus B (CVB) (Carlavirus)</i> <i>Citrus blight disease</i> <i>Citrus leprosis virus (CiLV) (Rhabdoviridae)</i> <i>Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)</i> <i>Citrus leaf rugose virus (CiLRV) (Rhabdoviridae, ilarvirus)</i> <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus (CSD- associated virus) (Marafivirus, Tymoviridae)</i> <i>Citrus variegation virus (CVV) (Bromoviridae, ilarvirus)</i> <i>Clitoria yellow vein virus (CYVV) (Tymovirus)</i> <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus (WTV) (Phytoreovirus)</i> <i>Clover yellow mosaic virus (CIYMV) (potexvirus)</i> <i>Clover yellows virus (CYV) (Closteroviridae, closterovirus)</i> <i>Clover yellow vein virus (CIYVV) (Potyviridae, potyvirus)</i> <i>Cocksfoot mottle virus (CoMV) (Sobemovirus)</i> <i>Coconut foliar decay virus (CFDV) (Nanavirus)</i> <i>Commelina diffusa virus (Potyviridae, potyvirus)</i> <i>Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)</i> <i>Commelina virus X (ComVX) (potexvirus)</i> <i>Commelina yellow mottle virus (ComYMV) (Caulimoviridae, badnavirus)</i> <i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae, bigeminivirus)</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus)</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> </p>	
--	--	--

<p><i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus)</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i> <i>Daphne virus X (DVX) (Potexvirus)</i> <i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i> <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i> <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i> <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i> <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i> <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i> <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i> <i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i> <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i> <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i> <i>Dioscorea alata virus (Potyviridae, potyvirus)</i> <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i> <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i> <i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae,bigeminivirus)</i> <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i> <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i> <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdoviru)</i> <i>Elderberry virus (EV) (Carlavirus 1)</i> <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i> <i>Erysimum latent virus (ErLV) (Tymovirus)</i> <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i> <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i> <i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i> <i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i> <i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i> <i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i> <i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Fig virus S (FVS) (Carlavirus)</i> <i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i> <i>Foxtail mosaic virus (FoMV) (Potexvirus)</i> <i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i> <i>French bean mosaic virus</i> <i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i> <i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i> <i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i></p>	<p><i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus)</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i> <i>Daphne virus X (DVX) (Potexvirus)</i> <i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i> <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i> <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i> <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i> <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i> <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i> <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i> <i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i> <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i> <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i> <i>Dioscorea alata virus (Potyviridae, potyvirus)</i> <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i> <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i> <i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae,bigeminivirus)</i> <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i> <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i> <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdoviru)</i> <i>Elderberry virus (EV) (Carlavirus 1)</i> <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i> <i>Erysimum latent virus (ErLV) (Tymovirus)</i> <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i> <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i> <i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i> <i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i> <i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i> <i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i> <i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i> <i>Fig virus S (FVS) (Carlavirus)</i> <i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i> <i>Foxtail mosaic virus (FoMV) (Potexvirus)</i> <i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i> <i>French bean mosaic virus</i> <i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i> <i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i> <i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i></p>	
---	---	--

<p><i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i> <i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i> <i>Grapevine asteroid mosaic virus</i> <i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i> <i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i> <i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i> <i>Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)</i> <i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i> <i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i> <i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i> <i>Grapevine fleck virus (GFkV)</i> <i>Grapevine stunt virus</i> <i>Grapevine vein necrosis virus</i> <i>Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)</i> <i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i> <i>Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)</i> <i>Groundnut chlorotic leaf streak virus</i> <i>Groundnut chlorotic spotting virus</i> <i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i> <i>Groundnut rosette virus (GRV) (Umbravirus)</i> <i>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)</i> <i>Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)</i> <i>Guar top necrosis virus</i> <i>Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)</i> <i>Helenium virus S (HVS) (Carlavirus)</i> <i>Helenium virus Y (HVY) (Potyviridae, Potyvirus)</i> <i>Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)</i> <i>Heracleum latent virus (HLV) (Vitivirus)</i> <i>Hibiscus latent ringspot virus (HLRSV) (Comoviridae,)nepovirus</i> <i>Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)</i> <i>Hippeastrum mosaic virus</i> <i>Honeysuckle latent virus (LnLV) (Carlavirus)</i> <i>Hop American latent (AHLV) (Carlavirus)</i> <i>Hop latent virus (HpLV) (Carlavirus)</i> <i>Hop mosaic virus (HpMV) (Carlavirus)</i> <i>Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus)</i> <i>Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)</i> <i>Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)</i> <i>Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)</i> <i>Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)</i> <i>Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)</i> <i>Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)</i> <i>Hydrangea ringspot virus (HRSV) (Potexvirus)</i> <i>Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)</i> <i>Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)</i> <i>Iris Japanese necrotic ring virus</i> <i>Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)</i> <i>Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)</i></p> <p><i>Indian peanut clump virus (IPCV) (Pecluvirus)</i> <i>Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)</i> <i>Iranian maize mosaic virus</i></p>	<p><i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i> <i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i> <i>Grapevine asteroid mosaic virus</i> <i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i> <i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i> <i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i> <i>Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)</i> <i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i> <i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i> <i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i> <i>Grapevine fleck virus (GFkV)</i> <i>Grapevine stunt virus</i> <i>Grapevine vein necrosis virus</i> <i>Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)</i> <i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i> <i>Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)</i> <i>Groundnut chlorotic leaf streak virus</i> <i>Groundnut chlorotic spotting virus</i> <i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i> <i>Groundnut rosette virus (GRV) (Umbravirus)</i> <i>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)</i> <i>Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)</i> <i>Guar top necrosis virus</i> <i>Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)</i> <i>Helenium virus S (HVS) (Carlavirus)</i> <i>Helenium virus Y (HVY) (Potyviridae, Potyvirus)</i> <i>Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)</i> <i>Heracleum latent virus (HLV) (Vitivirus)</i> <i>Hibiscus latent ringspot virus (HLRSV) (Comoviridae,)nepovirus</i> <i>Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)</i> <i>Hippeastrum mosaic virus</i> <i>Honeysuckle latent virus (LnLV) (Carlavirus)</i> <i>Hop American latent (AHLV) (Carlavirus)</i> <i>Hop latent virus (HpLV) (Carlavirus)</i> <i>Hop mosaic virus (HpMV) (Carlavirus)</i> <i>Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus)</i> <i>Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)</i> <i>Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)</i> <i>Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)</i> <i>Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)</i> <i>Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)</i> <i>Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)</i> <i>Hydrangea ringspot virus (HRSV) (Potexvirus)</i> <i>Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)</i> <i>Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)</i> <i>Iris Japanese necrotic ring virus</i> <i>Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)</i> <i>Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)</i> <u><i>Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)</i></u> <i>Indian peanut clump virus (IPCV) (Pecluvirus)</i> <i>Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)</i> <i>Iranian maize mosaic virus</i></p>	
--	---	--

<p><i>Jatropha mosaic virus</i> (JMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Johnsongrass mosaic</i> (JGMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Kalanchoe isometric virus</i> <i>Kalanchoe latent virus</i> (KLV) (<i>Carlavirus</i>) <i>Kalanchoe top-spotting virus</i> (KTSV) (<i>Caulimoviridae</i>, <i>badnavirus</i>) <i>Kennedya yellow mosaic virus</i> (KYMV) (<i>Tymovirus</i>) <i>Kennedya virus Y</i> (KVY) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Kyuri green mottle mosaic virus</i> (KGMMV) (<i>Tobamovirus</i>) <i>Konjac mosaic virus</i> (KoMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Kober stem grooving</i> <i>Lamium mild mottle virus</i> (LMMV) (<i>Comoviridae</i>, <i>fabavirus</i>) <i>Lato River virus</i> (LRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Leek yellow stripe virus</i> (LYSV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Lettuce big-vein virus</i> (LBVV) (<i>Varicosavirus</i>) <i>Lettuce mosaic virus</i> (LMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Lettuce necrotic yellows virus</i> (LNYV) (<i>Rhabdoviridae</i>, <i>cytorhabdovirus</i>) <i>Lettuce speckles mottle virus</i> (LSMV) (<i>Umbravirus</i>) <i>Lilac chlorotic leafspot virus</i> (LCLV) (<i>Capillovirus</i>) <i>Lilac mottle virus</i> (LiMV) (<i>Carlavirus</i>) <i>Lilac ring mottle virus</i> (LRMV) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Lily mottle virus</i> (LMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Lily virus X</i> (LVX) (<i>Potexvirus</i>) <i>Lettuce infectious yellows virus</i> (LIYV) (<i>Closteroviridae</i>, <i>Crinivirus</i>) <i>Limabean golden mosaic virus</i> (LGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Little cherry virus</i> (LChV) (<i>Closteroviridae</i>, <i>Closterovirus</i>) <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus</i> (LASV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus</i> (LTSV) (<i>Sobemovirus</i>) <i>Lychnis ringspot virus</i> (LRSV) (<i>Hordeivirus</i>) <i>Maclura mosaic virus</i> (MacMV) (<i>Potyviridae</i>, <i>macluravirus</i>) <i>Maize chlorotic dwarf virus</i> (MCDV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Maize chlorotic mottle virus</i> (MCMV) (<i>Tombusviridae</i>, <i>machlomovirus</i>) <i>Maize dwarf mosaic virus</i> (MDMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Maize line virus</i> <i>Maize mosaic virus</i> (MMV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>) <i>Maize rayado fino virus</i> (MRFV) (<i>Marafivirus</i>) <i>Maize white line mosaic virus</i> (MWLMV) <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus</i> (MRDV) (<i>Reoviridae</i>, <i>Fijivirus</i>) <i>Maize streak virus</i> (MSV) (<i>Genimiviridae</i>, <i>Mastrevirus</i>) <i>Malvastrum mottle virus</i> <i>Malva vein clearing virus</i> (MVCV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Marigold mottle virus</i> (MaMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Melandrium yellow fleck virus</i> (MYFV) (<i>Bromoviridae</i>, <i>bromovirus</i>) <i>Melon leaf curl virus</i> (MLCV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Melon necrotic spot virus</i> (MNSV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <i>Melon Ourmia virus</i> (OuMV) (<i>Ourmiavirus</i>) <i>Melon rugose mosaic virus</i> (MRMV) (<i>Tymovirus</i>) <i>Milk vetch dwarf virus</i> (MDV) (<i>Nanovirus</i>) <i>Mimosa mosaic virus</i> <i>Mirabilis mosaic virus</i> (MiMV) (<i>Caulimovirus</i>) <i>Miscanthus streak virus</i> (MiSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)</p>	<p><i>Jatropha mosaic virus</i> (JMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Johnsongrass mosaic</i> (JGMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Kalanchoe isometric virus</i> <i>Kalanchoe latent virus</i> (KLV) (<i>Carlavirus</i>) <i>Kalanchoe top-spotting virus</i> (KTSV) (<i>Caulimoviridae</i>, <i>badnavirus</i>) <i>Kennedya yellow mosaic virus</i> (KYMV) (<i>Tymovirus</i>) <i>Kennedya virus Y</i> (KVY) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Kyuri green mottle mosaic virus</i> (KGMMV) (<i>Tobamovirus</i>) <i>Konjac mosaic virus</i> (KoMV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Kober stem grooving</i> <i>Lamium mild mottle virus</i> (LMMV) (<i>Comoviridae</i>, <i>fabavirus</i>) <i>Lato River virus</i> (LRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Leek yellow stripe virus</i> (LYSV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Lettuce big-vein virus</i> (LBVV) (<i>Varicosavirus</i>) <i>Lettuce mosaic virus</i> (LMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Lettuce necrotic yellows virus</i> (LNYV) (<i>Rhabdoviridae</i>, <i>cytorhabdovirus</i>) <i>Lettuce speckles mottle virus</i> (LSMV) (<i>Umbravirus</i>) <i>Lilac chlorotic leafspot virus</i> (LCLV) (<i>Capillovirus</i>) <i>Lilac mottle virus</i> (LiMV) (<i>Carlavirus</i>) <i>Lilac ring mottle virus</i> (LRMV) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Lily mottle virus</i> (LMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Lily virus X</i> (LVX) (<i>Potexvirus</i>) <i>Lettuce infectious yellows virus</i> (LIYV) (<i>Closteroviridae</i>, <i>Crinivirus</i>) <i>Limabean golden mosaic virus</i> (LGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Little cherry virus</i> (LChV) (<i>Closteroviridae</i>, <i>Closterovirus</i>) <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus</i> (LASV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus</i> (LTSV) (<i>Sobemovirus</i>) <i>Lychnis ringspot virus</i> (LRSV) (<i>Hordeivirus</i>) <i>Maclura mosaic virus</i> (MacMV) (<i>Potyviridae</i>, <i>macluravirus</i>) <i>Maize chlorotic dwarf virus</i> (MCDV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Maize chlorotic mottle virus</i> (MCMV) (<i>Tombusviridae</i>, <i>machlomovirus</i>) <i>Maize dwarf mosaic virus</i> (MDMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Maize line virus</i> <i>Maize mosaic virus</i> (MMV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>) <i>Maize rayado fino virus</i> (MRFV) (<i>Marafivirus</i>) <i>Maize white line mosaic virus</i> (MWLMV) <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus</i> (MRDV) (<i>Reoviridae</i>, <i>Fijivirus</i>) <i>Maize streak virus</i> (MSV) (<i>Genimiviridae</i>, <i>Mastrevirus</i>) <i>Malvastrum mottle virus</i> <i>Malva vein clearing virus</i> (MVCV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Marigold mottle virus</i> (MaMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Melandrium yellow fleck virus</i> (MYFV) (<i>Bromoviridae</i>, <i>bromovirus</i>) <i>Melon leaf curl virus</i> (MLCV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Melon necrotic spot virus</i> (MNSV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <i>Melon Ourmia virus</i> (OuMV) (<i>Ourmiavirus</i>) <i>Melon rugose mosaic virus</i> (MRMV) (<i>Tymovirus</i>) <i>Milk vetch dwarf virus</i> (MDV) (<i>Nanovirus</i>) <i>Mimosa mosaic virus</i> <i>Mirabilis mosaic virus</i> (MiMV) (<i>Caulimovirus</i>) <i>Miscanthus streak virus</i> (MiSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)</p>	
--	--	--

<p><i>Mulberry latent virus (MLV) (Carlavirus)</i> <i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i> <i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i> <i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i> <i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i> <i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i> <i>Narcissus mosaic virus (NMV) (Potexvirus)</i> <i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i> <i>Natsudaidai dwarf virus (NDV) (Sadwavirus)</i> <i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i> <i>Nerine latent virus (NeLV) (Carlavirus)</i> <i>Nerine virus (NV) (Potyviridae, potyvirus)</i> <i>Nerine virus X (NVX) (Potexvirus)</i> <i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i> <i>Oak ringspot virus</i> <i>Oat blue dwarf virus (OBDV) (Marafivirus)</i> <i>Oat golden stripe virus (OGSV) (Furovirus)</i> <i>Oat mosaic virus (OMV)(Potyviridae, bymovirus)</i> <i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i> <i>Oat red streak mosaic virus</i> <i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i> <i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i> <i>Okra mosaic virus (OkMV) (Tymovirus)</i> <i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i> <i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i> <i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i> <i>Ornithogalum mosaic virus</i> <i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i> <i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i> <i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i> <i>Papaya meleira virus (PMeV)</i> <i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i> <i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i> <i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i> <i>Parsnip leafcurl virus</i> <i>Parsnip mosaic virus (ParMV)</i> <i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i> <i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i> <i>Passiflora latent virus (PLV)(Carlavirus)</i> <i>Passiflora South African virus (Potyviridae, potyvirus)</i> <i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i> <i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i> <i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i> <i>Patchouli mosaic virus (Potyviridae, potyvirus)</i> <i>Pea early browning virus (PEBV) (Tobravirus)</i> <i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i> <i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i> <i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i> <i>Pea mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i> <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i> <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i></p>	<p><i>Mulberry latent virus (MLV) (Carlavirus)</i> <i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i> <i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i> <i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i> <i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i> <i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i> <i>Narcissus mosaic virus (NMV) (Potexvirus)</i> <i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i> <i>Natsudaidai dwarf virus (NDV) (Sadwavirus)</i> <i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i> <i>Nerine latent virus (NeLV) (Carlavirus)</i> <i>Nerine virus (NV) (Potyviridae, potyvirus)</i> <i>Nerine virus X (NVX) (Potexvirus)</i> <i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i> <i>Oak ringspot virus</i> <i>Oat blue dwarf virus (OBDV) (Marafivirus)</i> <i>Oat golden stripe virus (OGSV) (Furovirus)</i> <i>Oat mosaic virus (OMV)(Potyviridae, bymovirus)</i> <i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i> <i>Oat red streak mosaic virus</i> <i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i> <i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i> <i>Okra mosaic virus (OkMV) (Tymovirus)</i> <i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i> <i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i> <i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i> <i>Ornithogalum mosaic virus</i> <i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i> <i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i> <i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i> <i>Papaya meleira virus (PMeV)</i> <i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i> <i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i> <i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i> <i>Parsnip leafcurl virus</i> <i>Parsnip mosaic virus (ParMV)</i> <i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i> <i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i> <i>Passiflora latent virus (PLV)(Carlavirus)</i> <i>Passiflora South African virus (Potyviridae, potyvirus)</i> <i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i> <i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i> <i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i> <i>Patchouli mosaic virus (Potyviridae, potyvirus)</i> <i>Pea early browning virus (PEBV) (Tobravirus)</i> <i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i> <i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i> <i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i> <i>Pea mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i> <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i> <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i></p>	
---	---	--

<p><i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid</i> (PLMVd) <i>Peach mosaic virus</i> (PMV) (<i>Trichovirus</i>) <i>Peach rosette mosaic virus</i> (PRMV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Peanut clump virus</i> (PCV) (<i>Pecluvirus</i>) <i>Pear blister canker viroid</i> (PBCVd) (<i>Pospiviroidae</i>, <i>Apscavirioid</i>) <i>Pear necrotic spot virus</i> <i>Pineapple bacilliform virus</i> (PBV) (<i>Badnavirus</i>, <i>Caulimoviridae</i>) <i>Pineapple mealybug wilt-associated virus-1</i> (PMWaV-1) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) <i>Pineapple mealybug wilt-associated virus-2</i> (PMWaV-2) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) <i>Plum American line pattern virus</i> (APLPV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Plum bark split virus</i> <i>Plum pox virus</i> (PPV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Plum rusty blotch</i> <i>Potato black ringspot virus</i> (PBRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Potato deforming mosaic virus</i> <i>Potato mop-top virus</i> (PMTV) (<i>Pomovirus</i>) <i>Potato virus T</i> (PVT) (<i>Trichovirus</i>) <i>Potato virus U</i> (PVU) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Potato virus V</i> (PVV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Potato yellow dwarf virus</i> (PYDV) (<i>Rhabdoviridae</i>, <i>Nucleorhabdovirus</i>) <i>Potato yellow vein virus</i> (PYVV) (<i>Closteroviridae</i>, <i>Crinivirus</i>) <i>Potato yellowing virus</i> <i>Prune dwarf virus</i> (PDV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Prunus necrotic ringspot virus</i> (PNRSV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Raspberry leaf curl virus</i> <i>Raspberry ringspot virus</i> (RpRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Red clover mottle virus</i> (RCMV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Rice gall dwarf virus</i> (RGDV) (<i>Reoviridae</i>, <i>Phytoreovirus</i>) <i>Rice tungro bacilliform virus</i> (RTBV) (<i>Caulimoviridae</i>, <i>Rice tungro bacilliform-like virus</i>) <i>Rice tungro spherical virus</i> (RTSV) (<i>Sequiviridae</i>, <i>Waikavirus</i>) <i>Rice yellow mottle virus</i> (RYMV) (<i>Sobemovirus</i>) <i>Rupestris stem pitting-associated virus</i> (Foveavirus, <i>Flexiviridae</i>) <i>Squash leaf curl virus</i> (SLCV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Squash mosaic virus</i> (SqMV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Strawberry latent ringspot virus</i> (SLRSV) (<i>Sadwavirus</i>) <i>Strawberry veinbanding virus</i> (SVBV) (<i>Caulimoviridae</i>, <i>Caulimovirus</i>) <i>Sugarcane yellow leaf virus</i> (ScYLV) (<i>Polerovirus</i>, <i>Luteoviridae</i>) <i>Tobacco rattle virus</i> (TRV) (<i>Tobravirus</i>) <i>Tobacco ringspot virus</i> (TRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Tobacco mosaic virus</i> (TMV) (<i>Tobamovirus</i>) <i>Tobacco necrosis virus</i> <i>Tobacco streak virus</i> (TSV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Tomato black ring virus</i> (TBRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Tomato bushy stunt virus</i> (TBSV) (<i>Tombusvirus</i>, <i>Tombusviridae</i>) <i>Tomato mottle virus</i> (ToMoV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Tomato ringspot virus</i> (ToRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Tulare apple mosaic virus</i> (TAMV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Tulip breaking virus</i> <i>Ullucus virus C</i> (UVC) (<i>Comoviridae</i>, <i>comovirus</i>)</p>	<p><i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid</i> (PLMVd) <i>Peach mosaic virus</i> (PMV) (<i>Trichovirus</i>) <i>Peach rosette mosaic virus</i> (PRMV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Peanut clump virus</i> (PCV) (<i>Pecluvirus</i>) <i>Pear blister canker viroid</i> (PBCVd) (<i>Pospiviroidae</i>, <i>Apscavirioid</i>) <i>Pear necrotic spot virus</i> <i>Pineapple bacilliform virus</i> (PBV) (<i>Badnavirus</i>, <i>Caulimoviridae</i>) <i>Pineapple mealybug wilt-associated virus-1</i> (PMWaV-1) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) <i>Pineapple mealybug wilt-associated virus-2</i> (PMWaV-2) (<i>Ampelovirus</i>, <i>Closteroviridae</i>) <i>Plum American line pattern virus</i> (APLPV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Plum bark split virus</i> <i>Plum pox virus</i> (PPV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Plum rusty blotch</i> <i>Potato black ringspot virus</i> (PBRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Potato deforming mosaic virus</i> <i>Potato mop-top virus</i> (PMTV) (<i>Pomovirus</i>) <i>Potato virus T</i> (PVT) (<i>Trichovirus</i>) <i>Potato virus U</i> (PVU) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Potato virus V</i> (PVV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Potato yellow dwarf virus</i> (PYDV) (<i>Rhabdoviridae</i>, <i>Nucleorhabdovirus</i>) <i>Potato yellow vein virus</i> (PYVV) (<i>Closteroviridae</i>, <i>Crinivirus</i>) <i>Potato yellowing virus</i> <i>Prune dwarf virus</i> (PDV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Prunus necrotic ringspot virus</i> (PNRSV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Raspberry leaf curl virus</i> <i>Raspberry ringspot virus</i> (RpRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Red clover mottle virus</i> (RCMV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Rice gall dwarf virus</i> (RGDV) (<i>Reoviridae</i>, <i>Phytoreovirus</i>) <i>Rice tungro bacilliform virus</i> (RTBV) (<i>Caulimoviridae</i>, <i>Rice tungro bacilliform-like virus</i>) <i>Rice tungro spherical virus</i> (RTSV) (<i>Sequiviridae</i>, <i>Waikavirus</i>) <i>Rice yellow mottle virus</i> (RYMV) (<i>Sobemovirus</i>) <i>Rupestris stem pitting-associated virus</i> (Foveavirus, <i>Flexiviridae</i>) <i>Squash leaf curl virus</i> (SLCV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Squash mosaic virus</i> (SqMV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Strawberry latent ringspot virus</i> (SLRSV) (<i>Sadwavirus</i>) <i>Strawberry veinbanding virus</i> (SVBV) (<i>Caulimoviridae</i>, <i>Caulimovirus</i>) <i>Sugarcane yellow leaf virus</i> (ScYLV) (<i>Polerovirus</i>, <i>Luteoviridae</i>) <i>Tobacco rattle virus</i> (TRV) (<i>Tobravirus</i>) <i>Tobacco ringspot virus</i> (TRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Tobacco mosaic virus</i> (TMV) (<i>Tobamovirus</i>) <i>Tobacco necrosis virus</i> <i>Tobacco streak virus</i> (TSV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Tomato black ring virus</i> (TBRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Tomato bushy stunt virus</i> (TBSV) (<i>Tombusvirus</i>, <i>Tombusviridae</i>) <i>Tomato mottle virus</i> (ToMoV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Tomato ringspot virus</i> (ToRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Tulare apple mosaic virus</i> (TAMV) (<i>Ilarvirus</i>, <i>Bromoviridae</i>) <i>Tulip breaking virus</i> <i>Ullucus virus C</i> (UVC) (<i>Comoviridae</i>, <i>comovirus</i>)</p>	
---	---	--

Ullucus mild mottle virus (UMMV) (*Tobamovirus*)
Ullucus mosaic virus (UMV) (*Potyviridae, potyvirus*)
Urd bean leaf crinkle virus
Vallota mosaic virus (ValMV) (*Potyviridae, potyvirus*)
Vanilla mosaic virus (VanMV) (*Potyviridae, potyvirus*)
Vanilla necrosis virus (*Potyviridae, potyvirus*)
Velvet tobacco mottle virus (VTMoV) (*Sobemovirus*)
Viola mottle virus (VMV) (*Potexvirus*)
Voandzeia distortion mosaic virus (*Potyviridae, potyvirus*)
Voandzeia necrotic mosaic virus (VNMV) (*Tymovirus*)
Watercress yellow spot virus (WYSV)
Watermelon chlorotic stunt virus (WmCSV) (*Geminiviridae, bigeminivirus*)
Watermelon curly mottle virus (WmCMV) (*Geminiviridae, bigeminivirus*)
Watermelon mosaic virus 2 (WMV-2) (*Potyviridae, potyvirus*)
Wheat American striate mosaic virus (WASMV) (*Rhabdovirus, ucleorhabdovirus*)
Wheat yellow leaf virus (WYLV) (*Closteroviridae, Closterovirus*)
Wheat dwarf virus (WDV) (*Geminiviridae, monogeminivirus*)
Wheat soil-borne mosaic virus (SBWMV) (*Furovirus*)
Wheat streak mosaic virus (WSMV) (*Potyviridae, rymovirus*)
Wheat spindle streak mosaic virus (WSSMV) (*Potyvirida, bymovirus*)
Wheat yellow mosaic virus (WYMV) (*Potyviridae, bymovirus*)
White clover mosaic virus (WCIMV) (*Potexvirus*)
Wild cucumber mosaic virus (WCMV) (*Tymovirus*)
Wild potato mosaic (WPMV) (*Potyviridae, Potyvirus*)
Wineberry latent virus (WLV)
Wisteria vein mosaic virus (WVMV) (*Potyviridae, Potyvirus*)
Yam mosaic virus (YMV) (*Potyviridae, Potyvirus*)
Zucchini yellow fleck virus (ZYFV) (*Potyviridae, Potyvirus*)
 備註：以上病毒之媒介有害生物亦一併列入管制

雜草類(288種)

Abelmoschus ficulneus (L.) Wight & Arn.
Acacia podalyriifolia
Acanthospermum hispidum DC.
Achnatherum calamagrostis P.Beauv.
Ageratum mexicanum= *A. houstonianum*
Agropyron repens (L.)Beauv. (*syn. Triticum repens* L.)
Albizia julibrissin Durazz.
Alopecurus aequalis Sobol.
Alternanthera philoxeroides (Mart) Griseb.
Amaranthus blitum L.
Amaranthus dubius Mart.
Amaranthus gracilis Desf.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus patulus Bertoloni
Amaranthus retroflexus L.

Ullucus mild mottle virus (UMMV) (*Tobamovirus*)
Ullucus mosaic virus (UMV) (*Potyviridae, potyvirus*)
Urd bean leaf crinkle virus
Vallota mosaic virus (ValMV) (*Potyviridae, potyvirus*)
Vanilla mosaic virus (VanMV) (*Potyviridae, potyvirus*)
Vanilla necrosis virus (*Potyviridae, potyvirus*)
Velvet tobacco mottle virus (VTMoV) (*Sobemovirus*)
Viola mottle virus (VMV) (*Potexvirus*)
Voandzeia distortion mosaic virus (*Potyviridae, potyvirus*)
Voandzeia necrotic mosaic virus (VNMV) (*Tymovirus*)
Watercress yellow spot virus (WYSV)
Watermelon chlorotic stunt virus (WmCSV) (*Geminiviridae, bigeminivirus*)
Watermelon curly mottle virus (WmCMV) (*Geminiviridae, bigeminivirus*)
Watermelon mosaic virus 2 (WMV-2) (*Potyviridae, potyvirus*)
Wheat American striate mosaic virus (WASMV) (*Rhabdovirus, ucleorhabdovirus*)
Wheat yellow leaf virus (WYLV) (*Closteroviridae, Closterovirus*)
Wheat dwarf virus (WDV) (*Geminiviridae, monogeminivirus*)
Wheat soil-borne mosaic virus (SBWMV) (*Furovirus*)
Wheat streak mosaic virus (WSMV) (*Potyviridae, rymovirus*)
Wheat spindle streak mosaic virus (WSSMV) (*Potyvirida, bymovirus*)
Wheat yellow mosaic virus (WYMV) (*Potyviridae, bymovirus*)
White clover mosaic virus (WCIMV) (*Potexvirus*)
Wild cucumber mosaic virus (WCMV) (*Tymovirus*)
Wild potato mosaic (WPMV) (*Potyviridae, Potyvirus*)
Wineberry latent virus (WLV)
Wisteria vein mosaic virus (WVMV) (*Potyviridae, Potyvirus*)
Yam mosaic virus (YMV) (*Potyviridae, Potyvirus*)
Zucchini yellow fleck virus (ZYFV) (*Potyviridae, Potyvirus*)
 備註：以上病毒之媒介有害生物亦一併列入管制

雜草類(286種)

Abelmoschus ficulneus (L.) Wight & Arn.
Acacia podalyriifolia
Acanthospermum hispidum DC.
Achnatherum calamagrostis P.Beauv.
Ageratum mexicanum= *A. houstonianum*
Agropyron repens (L.)Beauv. (*syn. Triticum repens* L.)
Albizia julibrissin Durazz.
Alopecurus aequalis Sobol.
Alternanthera philoxeroides (Mart) Griseb.
Amaranthus blitum L.
Amaranthus dubius Mart.
Amaranthus gracilis Desf.
Amaranthus graecizans L.
Amaranthus hybridus L.
Amaranthus patulus Bertoloni
Amaranthus retroflexus L.

<p><i>Ambrosia artemisiifolia</i> L. <i>Ambrosia psilostachya</i> DC. <i>Ambrosia trifida</i> L. <i>Ammi majus</i> L. <i>Ammi visnaga</i> <i>Andropogon virginicus</i> L. <i>Anthemis cotula</i> L. <i>Anthocephalus chinensis</i> Walp. <i>Ardisia elliptica</i> Thunb. <i>Asphodelus tenuifolius</i> Cav. <i>Aster subulatus</i> Michx. <i>Atriplex hortensis</i> <i>Avena sterilis</i> L. <i>Bidens ferulifolia</i>= <i>B. aurea</i> <i>Bidens pilosa</i> L. <i>Bidens triplinervia</i> <i>Boerhavia erecta</i> L. <i>Bowiea volubilis</i> Harv. ex Hook.f. <i>Brachiaria eruciformis</i> (J. E. Sm.) Griseb. <i>Brachiaria mutica</i> (Forssk.) Stapf <i>Brachiaria plantaginea</i> (Link) Hitchc. <i>Brachypodium sylvaticum</i> (Huds.) Beauv. <i>Brassica kaber</i> (DC.) L.C.Wheeler var. <i>pinnatifida</i> (Stokes), L.C.Wheeler (syn. <i>Sinapis arvensis</i> L., <i>Brassica arvensis</i>, <i>Brassica kaber</i>) <i>Brassica nigra</i> (L.) Koch <i>Bromus secalinus</i> L. <i>Bromus tectorum</i> L. <i>Cabomba caroliniana</i> Gray <i>Calamagrostis epigejos</i> (L.) Roth <i>Camelina sativa</i> <i>Campanula cochleariifolia</i> <i>Cannabis sativa</i> <i>Cardaria draba</i> (L.)Desv. (<i>Lepidium draba</i> L.) <i>Cardiospermum grandiflorum</i> Sw. <i>Carduus nutans</i> L. <i>Carduus pycnocephalus</i> L. <i>Ceanothus americanus</i> L. <i>Cecropia obtusifolia</i> Bertol. <i>Cecropia peltata</i> L. <i>Centaurea repens</i> L. <i>Centaurea solstitialis</i> L.</p>	<p><i>Ambrosia artemisiifolia</i> L. <i>Ambrosia psilostachya</i> DC. <i>Ambrosia trifida</i> L. <i>Ammi majus</i> L. <i>Ammi visnaga</i> <i>Andropogon virginicus</i> L. <i>Anthemis cotula</i> L. <i>Anthocephalus chinensis</i> Walp. <i>Ardisia elliptica</i> Thunb. <i>Asphodelus tenuifolius</i> Cav. <i>Aster subulatus</i> Michx. <i>Atriplex hortensis</i> <i>Avena sterilis</i> L. <i>Bidens ferulifolia</i>= <i>B. aurea</i> <i>Bidens pilosa</i> L. <i>Bidens triplinervia</i> <i>Boerhavia erecta</i> L. <i>Bowiea volubilis</i> Harv. ex Hook.f. <i>Brachiaria eruciformis</i> (J. E. Sm.) Griseb. <i>Brachiaria mutica</i> (Forssk.) Stapf <i>Brachiaria plantaginea</i> (Link) Hitchc. <i>Brachypodium sylvaticum</i> (Huds.) Beauv. <i>Brassica kaber</i> (DC.) L.C.Wheeler var. <i>pinnatifida</i> (Stokes), L.C.Wheeler (syn. <i>Sinapis arvensis</i> L., <i>Brassica arvensis</i>, <i>Brassica kaber</i>) <i>Brassica nigra</i> (L.) Koch <i>Bromus secalinus</i> L. <i>Bromus tectorum</i> L. <i>Cabomba caroliniana</i> Gray <i>Calamagrostis epigejos</i> (L.) Roth <i>Camelina sativa</i> <i>Campanula cochleariifolia</i> <i>Cannabis sativa</i> <i>Cardaria draba</i> (L.)Desv. (<i>Lepidium draba</i> L.) <i>Cardiospermum grandiflorum</i> Sw. <i>Carduus nutans</i> L. <i>Carduus pycnocephalus</i> L. <i>Ceanothus americanus</i> L. <i>Cecropia obtusifolia</i> Bertol. <i>Cecropia peltata</i> L. <i>Centaurea repens</i> L. <i>Centaurea solstitialis</i> L.</p>	
--	--	--

<p><i>Centrosema pubescens</i> <i>Cephalaria syriaca</i> (L.) Schrad. <i>Cerastium arvense</i> L. <i>Chasmanthium latifolium</i> (Michx.) Yates <i>Chasmanthium laxum</i> (L.) Yates <i>Chenopodium album</i> <i>Chenopodium murale</i> L. <i>Chenopodium opulifolium</i> Schrad. <i>Chondrilla juncea</i> L. <i>Chromolaena odorata</i> (L.) R. M. King & H. Rob. <i>Chrysophyllum oliviforme</i> L. <i>Chrysopogon gryllus</i> Trin. <i>Cirsium arvense</i> (L.) Scop. <i>Cirsium lanceolatum</i> Hill <i>Cirsium vulgare</i> (Savi) Tenore <i>Cleome monophylla</i> L. <i>Clerodendrum quadriloculare</i> <i>Clidemia hirta</i> (L.) D. Don <i>Cnidium monnieri</i> <i>Conium maculatum</i> L. <i>Convolvulus arvensis</i> L. <i>Cordia alliodora</i> (Ruiz & Pav.) Oken <i>Cordia macrostachya</i> Roem & Schlucht. <i>Cortaderia selloana</i> (J.A. & J.H. Schultes) Aschers. & Graebn. <i>Crotalaria brevidens</i> <i>Crotalaria deserticola</i> <i>Crotalaria laburnifolia</i> <i>Crotalaria laburnoides</i> <i>Crotalaria lanceolata</i> <i>Crotalaria pallida</i> <i>Crotalaria pisicarpa</i> <i>Cryptostegia grandiflora</i> R. Br. <i>Cuscuta campestris</i> Yuncker <i>Cuscuta monogyna</i> Vahl. <i>Cynodon plectostachyum</i> (Schum.) Pilger. <i>Cynoglossum amabile</i> Stapf & Drummond <i>Cyperus esculentus</i> L. <i>Datura stramonium</i> L. var. <i>chalybaea</i> Koch <i>Descurainia sophia</i> <i>Dichrostachys cinerea</i> (L.) Wight & Arn. <i>Digitaria sanguinalis</i> = <i>Panicum sanguinale</i>, <i>Paspalum sanguinale</i>, <i>Syntherisma</i></p>	<p><i>Centrosema pubescens</i> <i>Cephalaria syriaca</i> (L.) Schrad. <i>Cerastium arvense</i> L. <i>Chasmanthium latifolium</i> (Michx.) Yates <i>Chasmanthium laxum</i> (L.) Yates <i>Chenopodium album</i> <i>Chenopodium murale</i> L. <i>Chenopodium opulifolium</i> Schrad. <i>Chondrilla juncea</i> L. <i>Chromolaena odorata</i> (L.) R. M. King & H. Rob. <i>Chrysophyllum oliviforme</i> L. <i>Chrysopogon gryllus</i> Trin. <i>Cirsium arvense</i> (L.) Scop. <i>Cirsium lanceolatum</i> Hill <i>Cirsium vulgare</i> (Savi) Tenore <i>Cleome monophylla</i> L. <i>Clerodendrum quadriloculare</i> <i>Clidemia hirta</i> (L.) D. Don <i>Cnidium monnieri</i> <i>Conium maculatum</i> L. <i>Convolvulus arvensis</i> L. <i>Cordia alliodora</i> (Ruiz & Pav.) Oken <i>Cordia macrostachya</i> Roem & Schlucht. <i>Cortaderia selloana</i> (J.A. & J.H. Schultes) Aschers. & Graebn. <i>Crotalaria brevidens</i> <i>Crotalaria deserticola</i> <i>Crotalaria laburnifolia</i> <i>Crotalaria laburnoides</i> <i>Crotalaria lanceolata</i> <i>Crotalaria pallida</i> <i>Crotalaria pisicarpa</i> <i>Cryptostegia grandiflora</i> R. Br. <i>Cuscuta campestris</i> Yuncker <i>Cuscuta monogyna</i> Vahl. <i>Cynodon plectostachyum</i> (Schum.) Pilger. <i>Cynoglossum amabile</i> Stapf & Drummond <i>Cyperus esculentus</i> L. <i>Datura stramonium</i> L. var. <i>chalybaea</i> Koch <i>Descurainia sophia</i> <i>Dichrostachys cinerea</i> (L.) Wight & Arn. <i>Digitaria sanguinalis</i> = <i>Panicum sanguinale</i>, <i>Paspalum sanguinale</i>, <i>Syntherisma</i></p>	
--	--	--

<p><i>sanguinalis</i> <i>Digitaria scalarum</i> (Schweinf.) Chiov <i>Digitaria velutina</i> (Forsk.) Beauv. <i>Diplotaxis tenuifolia</i> (莖葉除外) <i>Dipsacus sativus</i> (L.) Honckeney <i>Echinochloa crus-galli</i> <i>Echionchloa crus-pavonis</i> (H.B.K.) Schult <i>Echinochloa esculenta</i> <i>Echinochloa pyramidalis</i> (Lam.) Hitchc. & A. Chase <i>Echium plantagineum</i> L. <i>Eichhornia crassipes</i> (Mart.) Solms <i>Eleocharis palustris</i> (L.)R. Br. (syn. <i>E. filiculmis</i> Schur.) <i>Elodea canadensis</i> Michx. <i>Emex spinosa</i> (L.) Campdera <i>Equisetum arvense</i> L. <i>Equisetum palustre</i> L. <i>Erigeron karvinskianus</i>= <i>E. mucronatus</i> <i>Eriocaulon cinereum</i> <i>Eriosephalus racemosus</i> <i>Erodium cicutarium</i> (L.) L. ex W. Ait. <i>Eucalyptus globulus</i> Labill. <i>Euonymus europaeus</i> L. <i>Euphorbia helioscopia</i> L. <i>Euphorbia myrsinites</i> <i>Euphorbia prunifolia</i> Jacq. (syn. <i>E. geniculata</i> Orteg). <i>Furcraea foetida</i> <i>Gaillardia pulchella</i> <i>Galeopsis tetrahit</i> L. <i>Galium aparine</i> L. <i>Geranium molle</i> L. <i>Gladiolus segetum</i> Ker-Gawl. <i>Gynandropsis gynandra</i> (L.) Briq. <i>Hardenbergia comptoniana</i> (Andrews) Benth. <i>Heliotropium europaeum</i> L. <i>Heteropanax fragrans</i> (Roxb.) Seem. <i>Homeria collina</i> <i>Homeria flaccid</i> <i>Homeria miniata</i> <i>Homeria ochroleuca</i> <i>Hordeum murinum</i> L. <i>Hyacinthoides</i> spp.</p>	<p><i>sanguinalis</i> <i>Digitaria scalarum</i> (Schweinf.) Chiov <i>Digitaria velutina</i> (Forsk.) Beauv. <i>Diplotaxis tenuifolia</i> (莖葉除外) <i>Dipsacus sativus</i> (L.) Honckeney <i>Echinochloa crus-galli</i> <i>Echionchloa crus-pavonis</i> (H.B.K.) Schult <i>Echinochloa esculenta</i> <i>Echinochloa pyramidalis</i> (Lam.) Hitchc. & A. Chase <i>Echium plantagineum</i> L. <i>Eichhornia crassipes</i> (Mart.) Solms <i>Eleocharis palustris</i> (L.)R. Br. (syn. <i>E. filiculmis</i> Schur.) <i>Elodea canadensis</i> Michx. <i>Emex spinosa</i> (L.) Campdera <i>Equisetum arvense</i> L. <i>Equisetum palustre</i> L. <i>Erigeron karvinskianus</i>= <i>E. mucronatus</i> <i>Eriocaulon cinereum</i> <i>Eriosephalus racemosus</i> <i>Erodium cicutarium</i> (L.) L. ex W. Ait. <i>Eucalyptus globulus</i> Labill. <i>Euonymus europaeus</i> L. <i>Euphorbia helioscopia</i> L. <i>Euphorbia myrsinites</i> <i>Euphorbia prunifolia</i> Jacq. (syn. <i>E. geniculata</i> Orteg). <i>Furcraea foetida</i> <i>Gaillardia pulchella</i> <i>Galeopsis tetrahit</i> L. <i>Galium aparine</i> L. <i>Geranium molle</i> L. <i>Gladiolus segetum</i> Ker-Gawl. <i>Gynandropsis gynandra</i> (L.) Briq. <i>Hardenbergia comptoniana</i> (Andrews) Benth. <i>Heliotropium europaeum</i> L. <i>Heteropanax fragrans</i> (Roxb.) Seem. <i>Homeria collina</i> <i>Homeria flaccid</i> <i>Homeria miniata</i> <i>Homeria ochroleuca</i> <i>Hordeum murinum</i> L. <i>Hyacinthoides</i> spp.</p>	
---	---	--

Hydrilla verticillata
Hypochoeris radicata L.
Indigofera amblyantha Craib
Ipomoea oenothera
Jatropha gossypifolia L. var. *elegans* (Pohl) Muell.-Arg.
Juncus bufonius L.
Jussiaea repens L.
Jussiaea suffruticosa L.
Kallstroemia maxima Gray.
Laburnum anagyroides Medik.
Lactuca serriola L.
Lagarosiphon spp.
Lagurus ovatus L.
Lantana camara L.
Lathyrus aphaca L.
Lemna minor L.
Leonotis nepetifolia (L.) Ait. f.
Leontodon autumnalis L.
Lepidium draba L.
Lepidium sativum
Leptospermum scoparium
Leucaena leucocephala (Lam.) de Wit
Limnocharis flava
Lithospermum arvense L.
Lolium temulentum L.
Luzula sylvatica (Huds.) Gaudin
Malva parviflora L.
Marsilea quadrifolia L.
Medicago hispida Gaertn.
Melastoma malabathricum L.
Mercurialis annua L.
Mertensia virginica (L.) Pers. ex Link
Miconia calvescens DC.
Mikania micrantha Kunth
Mikania scandens (L.) Wild.
Mimosa diplotricha C. Wright ex Sauvalle
Mimosa pigra L.
Miscanthus giganteus Kunth
Monochoria hastata (L.) Solms
Mucuna pruriens (L.) DC. var. *pruriens* Cowitch
Muhlenbergia capillaris

Hydrilla verticillata
Hypochoeris radicata L.
Indigofera amblyantha Craib
Ipomoea oenothera
Jatropha gossypifolia L. var. *elegans* (Pohl) Muell.-Arg.
Juncus bufonius L.
Jussiaea repens L.
Jussiaea suffruticosa L.
Kallstroemia maxima Gray.
Laburnum anagyroides Medik.
Lactuca serriola L.
Lagarosiphon spp.
Lagurus ovatus L.
Lantana camara L.
Lathyrus aphaca L.
Lemna minor L.
Leonotis nepetifolia (L.) Ait. f.
Leontodon autumnalis L.
Lepidium draba L.
Lepidium sativum
Leptospermum scoparium
Leucaena leucocephala (Lam.) de Wit
Limnocharis flava
Lithospermum arvense L.
Lolium temulentum L.
Luzula sylvatica (Huds.) Gaudin
Malva parviflora L.
Marsilea quadrifolia L.
Medicago hispida Gaertn.
Melastoma malabathricum L.
Mercurialis annua L.
Mertensia virginica (L.) Pers. ex Link
Miconia calvescens DC.
Mikania micrantha Kunth
Mikania scandens (L.) Wild.
Mimosa diplotricha C. Wright ex Sauvalle
Mimosa pigra L.
Miscanthus giganteus Kunth
Monochoria hastata (L.) Solms
Mucuna pruriens (L.) DC. var. *pruriens* Cowitch

Muhlenbergia reverchonii

Murdannia nudiflora (L.) Brenan

Muscari botryoides

Myosotis scorpioides

Myrciaria aureana

Myrica faya Ait.

Myriophyllum aquaticum (Vell.) Verdc.

Myriophyllum brasiliense Camb.

Nassella tenuissima (Trin.) Barkworth

Neslia paniculata (L.) Desv.

Nicandra physalodes (L.) Gaertn.

Orlaya grandiflora Hoffm.

Oryza barthii A. Chev. (syn. *O. breviligulata* A. Chev. et Roehr.)

Oryza officinalis Wall. Ex Watt.

Oryza punctata Kotschy ex Steud.

Panicum fasciculatum Sw.

Panicum maximum Jacq.

Parthenium hysterophorus L.

Passiflora mollissima (H. B. K.) Bailey

Passiflora rubra Lam.

Peltophorum dubium (Spreng.) Taub.

Pennisetum ciliare (L.) Link

Pennisetum clandestinum Hochst. ex Chiov.

Pennisetum macrourum Trin.

Pennisetum pedicellatum Trin.

Pennisetum polystachion (L.) Schult.

Pennisetum purpureum Schumach.

Pennisetum setaceum (Forsk.) Chiov.

Pennisetum villosum R. Br. ex Fresen.

Phalaris minor Retz.

Phalaris paradoxa L.

Pinus pinaster = *P. maritima* = *P. mesogeneensis*

Pluchea carolinensis (Jacq.) G. Don

Pluchea odorata (L.) Cass.

Pluchea sagittalis (Lam.) Cabera

Poa cita E. Edgar

Pontederia rotundifolia L. f.

Portulaca oleracea

Potamogeton natans L.

Prunella grandiflora

Pueraria phaseoloides

Murdannia nudiflora (L.) Brenan

Muscari botryoides

Myosotis scorpioides

Myrciaria aureana

Myrica faya Ait.

Myriophyllum aquaticum (Vell.) Verdc.

Myriophyllum brasiliense Camb.

Nassella tenuissima (Trin.) Barkworth

Neslia paniculata (L.) Desv.

Nicandra physalodes (L.) Gaertn.

Orlaya grandiflora Hoffm.

Oryza barthii A. Chev. (syn. *O. breviligulata* A. Chev. et Roehr.)

Oryza officinalis Wall. Ex Watt.

Oryza punctata Kotschy ex Steud.

Panicum fasciculatum Sw.

Panicum maximum Jacq.

Parthenium hysterophorus L.

Passiflora mollissima (H. B. K.) Bailey

Passiflora rubra Lam.

Peltophorum dubium (Spreng.) Taub.

Pennisetum ciliare (L.) Link

Pennisetum clandestinum Hochst. ex Chiov.

Pennisetum macrourum Trin.

Pennisetum pedicellatum Trin.

Pennisetum polystachion (L.) Schult.

Pennisetum purpureum Schumach.

Pennisetum setaceum (Forsk.) Chiov.

Pennisetum villosum R. Br. ex Fresen.

Phalaris minor Retz.

Phalaris paradoxa L.

Pinus pinaster = *P. maritima* = *P. mesogeneensis*

Pluchea carolinensis (Jacq.) G. Don

Pluchea odorata (L.) Cass.

Pluchea sagittalis (Lam.) Cabera

Poa cita E. Edgar

Pontederia rotundifolia L. f.

Portulaca oleracea

Potamogeton natans L.

Prunella grandiflora

Pueraria phaseoloides

<p><i>Quercus gambelii</i> Nutt. <i>Radermachera hainanensis</i> Merrill <i>Ranunculus arvensis</i> L. <i>Ranunculus repens</i> L. <i>Raphanus raphanistrum</i> L. (<i>Raphanus arvensis</i> Wallr., <i>Raphanus sylvestris</i> Aschers) <i>Rapistrum rugosum</i> (L.) All. <i>Reseda lutea</i> L. <i>Rhodanthe chlorocephala</i> (Turcz.) Paul G.Wilson <i>Ribes cereum</i>= <i>R. viscidulum</i> <i>Richardia brasiliensis</i> Gomez <i>Rides roezlii</i> <i>Rosa canina</i> <i>Rosa rubiginosa</i> = <i>Rosa eglanteria</i> <i>Rubus argutus</i> Link <i>Rubus leucodermis</i> <i>Rubus moluccanus</i> L. <i>Rubus parviflorus</i> <i>Rumex pulcher</i> L. <i>Sagittaria sagittifolia</i> L. <i>Sagittaria subulata</i> (L.) Buch. <i>Salicornia europaea</i> <i>Salsola kali</i> L. <i>Sanvitalia procumbens</i> Lam. <i>Schefflera actinophylla</i> <i>Schizachyrium condensatum</i> (Kunth) Nees <i>Scirpus grossus</i> L. f. <i>Scirpus maritimus</i> L. <i>Scirpus mucronatus</i> L. <i>Sesbania punicea</i> (Cav.) Benth. <i>Sida spinosa</i> L. <i>Silene gallica</i> L. <i>Silybum marianum</i> <i>Sinapis arvensis</i> L. <i>Sisymbrium luteum</i>= <i>Hesperis lutea</i> <i>Sisymbrium officinale</i> (L.) Scop. <i>Solanum incanum</i> <i>Solanum mauritianum</i> Scopoli <i>Solanum sisymbriifolium</i>= <i>S. sisymbriifolium</i> <i>Solidago canadensis</i> L. <i>Solidago speciosa</i> Nutt.</p>	<p><i>Quercus gambelii</i> Nutt. <i>Radermachera hainanensis</i> Merrill <i>Ranunculus arvensis</i> L. <i>Ranunculus repens</i> L. <i>Raphanus raphanistrum</i> L. (<i>Raphanus arvensis</i> Wallr., <i>Raphanus sylvestris</i> Aschers) <i>Rapistrum rugosum</i> (L.) All. <i>Reseda lutea</i> L. <i>Rhodanthe chlorocephala</i> (Turcz.) Paul G.Wilson <i>Ribes cereum</i>= <i>R. viscidulum</i> <i>Richardia brasiliensis</i> Gomez <i>Rides roezlii</i> <i>Rosa canina</i> <i>Rosa rubiginosa</i> = <i>Rosa eglanteria</i> <i>Rubus argutus</i> Link <i>Rubus leucodermis</i> <i>Rubus moluccanus</i> L. <i>Rubus parviflorus</i> <i>Rumex pulcher</i> L. <i>Sagittaria sagittifolia</i> L. <i>Sagittaria subulata</i> (L.) Buch. <i>Salicornia europaea</i> <i>Salsola kali</i> L. <i>Sanvitalia procumbens</i> Lam. <i>Schefflera actinophylla</i> <i>Schizachyrium condensatum</i> (Kunth) Nees <i>Scirpus grossus</i> L. f. <i>Scirpus maritimus</i> L. <i>Scirpus mucronatus</i> L. <i>Sesbania punicea</i> (Cav.) Benth. <i>Sida spinosa</i> L. <i>Silene gallica</i> L. <i>Silybum marianum</i> <i>Sinapis arvensis</i> L. <i>Sisymbrium luteum</i>= <i>Hesperis lutea</i> <i>Sisymbrium officinale</i> (L.) Scop. <i>Solanum incanum</i> <i>Solanum mauritianum</i> Scopoli <i>Solanum sisymbriifolium</i>= <i>S. sisymbriifolium</i> <i>Solidago canadensis</i> L. <i>Solidago speciosa</i> Nutt.</p>	
---	---	--

<p><i>Sophora secundiflora</i> Lag. ex DC. <i>Sorghastrum nutans</i> (L.) Nash <i>Spergula arvensis</i> L. <i>Sporobolus heterolepis</i> (Gray) Gray <i>Stachytarpheta urticaefolia</i> (Salisb.) Sims <i>Stipa tenacissima</i> L. = <i>Nassella tenuissima</i> (Trin.) Barkworth <i>Striga asiatica</i> (L.) O. Ktze. <i>Swainsona formosa</i> (G.Don) J.Thompson <i>Tagetes minuta</i> L. <i>Taraxacum mongolicum</i> Hand.-Mazz. <i>Taraxacum officinale</i> G.H. Weber ex Wiggers <i>Tecoma stans</i> <i>Thlaspi arvense</i> L. <i>Tibouchina urvilleana</i> (DC) Cogn. <i>Trichachne insulatis</i> (L.) Ness <i>Trisacum dactyloides</i> <i>Typha latifolia</i> L. <i>Ulex europaeus</i> L. <i>Urochloa panicoides</i> Beauv. <i>Urtica dioica</i> L. <i>Urtica urens</i> L. <i>Vallisneria spiralis</i> L. <i>Verbascum blattaria</i> L. <i>Verbascum bombyciferum</i> Heuff. <i>Verbascum olympicum</i> Boiss. <i>Vicia angustifolia</i> L. <i>Vicia sativa</i> <i>Xanthium spinosum</i> L. <i>Yucca glauca</i></p>	<p><i>Sophora secundiflora</i> Lag. ex DC. <i>Sorghastrum nutans</i> (L.) Nash <i>Spergula arvensis</i> L. <i>Sporobolus heterolepis</i> (Gray) Gray <i>Stachytarpheta urticaefolia</i> (Salisb.) Sims <i>Stipa tenacissima</i> L. = <i>Nassella tenuissima</i> (Trin.) Barkworth <i>Striga asiatica</i> (L.) O. Ktze. <i>Swainsona formosa</i> (G.Don) J.Thompson <i>Tagetes minuta</i> L. <i>Taraxacum mongolicum</i> Hand.-Mazz. <i>Taraxacum officinale</i> G.H. Weber ex Wiggers <i>Tecoma stans</i> <i>Thlaspi arvense</i> L. <i>Tibouchina urvilleana</i> (DC) Cogn. <i>Trichachne insulatis</i> (L.) Ness <i>Trisacum dactyloides</i> <i>Typha latifolia</i> L. <i>Ulex europaeus</i> L. <i>Urochloa panicoides</i> Beauv. <i>Urtica dioica</i> L. <i>Urtica urens</i> L. <i>Vallisneria spiralis</i> L. <i>Verbascum blattaria</i> L. <i>Verbascum bombyciferum</i> Heuff. <i>Verbascum olympicum</i> Boiss. <i>Vicia angustifolia</i> L. <i>Vicia sativa</i> <i>Xanthium spinosum</i> L. <i>Yucca glauca</i></p>	
--	--	--

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第十一點輸入貨品使用之木質包裝材料檢疫條件第二點、第三點修正草案對照表

修正規定	現行規定	說明																																																																																
<p>二、木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之下列檢疫處理方式之一進行處理：</p> <p>(一) 溴化甲烷(Methyl bromide, CH₃Br)燻蒸：最低溫度不得低於 10°C，燻蒸時間最少應為 24 小時。</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th>溫度</th> <th>24 小時濃度時間積 CT(g.h/m³)</th> <th>處理 24 小時後最低濃度 (g/m³)</th> </tr> </thead> <tbody> <tr> <td>21°C 以上</td> <td>650</td> <td>24</td> </tr> <tr> <td>16°C 以上，未達 21°C</td> <td>800</td> <td>28</td> </tr> <tr> <td>10°C 以上，未達 16°C</td> <td>900</td> <td>32</td> </tr> </tbody> </table> <p>符合上表之燻蒸劑量範例如下：</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th rowspan="2">溫度</th> <th rowspan="2">劑量 (g/m³)</th> <th colspan="4">最低濃度(g/m³)</th> </tr> <tr> <th>2 小時</th> <th>4 小時</th> <th>12 小時</th> <th>24 小時</th> </tr> </thead> <tbody> <tr> <td>21°C 以上</td> <td>48</td> <td>36</td> <td>31</td> <td>28</td> <td>24</td> </tr> <tr> <td>16°C 以上，未達 21°C</td> <td>56</td> <td>42</td> <td>36</td> <td>32</td> <td>28</td> </tr> <tr> <td>10°C 以上，未達 16°C</td> <td>64</td> <td>48</td> <td>42</td> <td>36</td> <td>32</td> </tr> </tbody> </table> <p>(二) 熱處理(Heat treatment)：木質包裝材中心溫度達到 56°C，處理三十分鐘以上。</p> <p>(三) 射頻加熱處理(Heat treatment using dielectric heating)：以微波或無線電波加熱木質包裝材中心及表面溫度達到</p>	溫度	24 小時濃度時間積 CT(g.h/m ³)	處理 24 小時後最低濃度 (g/m ³)	21°C 以上	650	24	16°C 以上，未達 21°C	800	28	10°C 以上，未達 16°C	900	32	溫度	劑量 (g/m ³)	最低濃度(g/m ³)				2 小時	4 小時	12 小時	24 小時	21°C 以上	48	36	31	28	24	16°C 以上，未達 21°C	56	42	36	32	28	10°C 以上，未達 16°C	64	48	42	36	32	<p>二、木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之下列檢疫處理方式之一進行處理：</p> <p>(一) 溴化甲烷(Methyl bromide, CH₃Br)燻蒸：最低溫度不得低於 10°C，燻蒸時間最少應為 24 小時。</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th>溫度</th> <th>24 小時濃度時間積 CT(g.h/m³)</th> <th>處理 24 小時後最低濃度 (g/m³)</th> </tr> </thead> <tbody> <tr> <td>21°C 以上</td> <td>650</td> <td>24</td> </tr> <tr> <td>16°C 以上，未達 21°C</td> <td>800</td> <td>28</td> </tr> <tr> <td>10°C 以上，未達 16°C</td> <td>900</td> <td>32</td> </tr> </tbody> </table> <p>符合上表之燻蒸劑量範例如下：</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <thead> <tr> <th rowspan="2">溫度</th> <th rowspan="2">劑量 (g/m³)</th> <th colspan="4">最低濃度(g/m³)</th> </tr> <tr> <th>2 小時</th> <th>4 小時</th> <th>12 小時</th> <th>24 小時</th> </tr> </thead> <tbody> <tr> <td>21°C 以上</td> <td>48</td> <td>36</td> <td>31</td> <td>28</td> <td>24</td> </tr> <tr> <td>16°C 以上，未達 21°C</td> <td>56</td> <td>42</td> <td>36</td> <td>32</td> <td>28</td> </tr> <tr> <td>10°C 以上，未達 16°C</td> <td>64</td> <td>48</td> <td>42</td> <td>36</td> <td>32</td> </tr> </tbody> </table> <p>(二) 熱處理(Heat treatment)：木質包裝材中心溫度達到 56°C，處理三十分鐘以上。</p>	溫度	24 小時濃度時間積 CT(g.h/m ³)	處理 24 小時後最低濃度 (g/m ³)	21°C 以上	650	24	16°C 以上，未達 21°C	800	28	10°C 以上，未達 16°C	900	32	溫度	劑量 (g/m ³)	最低濃度(g/m ³)				2 小時	4 小時	12 小時	24 小時	21°C 以上	48	36	31	28	24	16°C 以上，未達 21°C	56	42	36	32	28	10°C 以上，未達 16°C	64	48	42	36	32	<p>本點規範木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之檢疫處理方式進行處理，刪除第一款溴化甲烷處理十二小時後之最低濃度，另增列第三款射頻加熱 (Dielectric heating)及第四款硫醯氟 (Sulphuryl fluoride) 等二種檢疫處理方式及基準。</p>
溫度	24 小時濃度時間積 CT(g.h/m ³)	處理 24 小時後最低濃度 (g/m ³)																																																																																
21°C 以上	650	24																																																																																
16°C 以上，未達 21°C	800	28																																																																																
10°C 以上，未達 16°C	900	32																																																																																
溫度	劑量 (g/m ³)	最低濃度(g/m ³)																																																																																
		2 小時	4 小時	12 小時	24 小時																																																																													
21°C 以上	48	36	31	28	24																																																																													
16°C 以上，未達 21°C	56	42	36	32	28																																																																													
10°C 以上，未達 16°C	64	48	42	36	32																																																																													
溫度	24 小時濃度時間積 CT(g.h/m ³)	處理 24 小時後最低濃度 (g/m ³)																																																																																
21°C 以上	650	24																																																																																
16°C 以上，未達 21°C	800	28																																																																																
10°C 以上，未達 16°C	900	32																																																																																
溫度	劑量 (g/m ³)	最低濃度(g/m ³)																																																																																
		2 小時	4 小時	12 小時	24 小時																																																																													
21°C 以上	48	36	31	28	24																																																																													
16°C 以上，未達 21°C	56	42	36	32	28																																																																													
10°C 以上，未達 16°C	64	48	42	36	32																																																																													

60°C，處理一分鐘以上。


(四) 硫醯氟(Sulphuryl fluoride, SO₂F₂)燻蒸：最低溫度不得低於 20°C，燻蒸時間最少應為 24 小時。

溫度及時間	濃度時間積 CT(g.h/m ³)	處理後最低濃度 (g/m ³)
30°C 以上處理 24 小時	1400	41
20°C 以上，未達 30°C 處理 48 小時	3000	29


符合上表之燻蒸劑量範例如下：

溫度	劑量 (g/m ³)	最低濃度(g/m ³)						
		0-5 小時	2-1 小時	4-1 小時	12 小時	24 小時	36 小時	48 小時
30°C 以上	82	87	78	73	58	41	-	-
20°C 以上，未達 30°C	120	124	112	104	82	58	41	29

三、木質包裝材進行檢疫處理後，輸出前應蓋有符合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定章戳，其樣式範例說明如下：



三、木質包裝材進行檢疫處理後，輸出前應蓋有符合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定章戳，其樣式範例說明如下：



標記說明：

配合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定已增訂硫醯氟(Sulphuryl fluoride)及射頻加熱(Dielectric heating)等二種檢疫處理方式，爰於標記說明 4.YY 增訂前述檢疫處理章戳樣式範

<p>標記說明：</p> <p>1. IPPC：《國際植物保護公約》的英文縮寫符號</p> <p>2.XX：國際標準化組織(ISO)規定的 2 個字母國家編號</p> <p>3.000：輸出國官方植物檢疫機構批准的木質包裝生產者的獨特數位編號</p> <p>4.YY：國際植物保護公約所採用的批准措施，如溴化甲烷燻蒸-MB；<u>熱處理-HT</u>；<u>射頻加熱-DH</u>及<u>硫醯氟燻蒸-SF</u></p>	<p>1. IPPC：《國際植物保護公約》的英文縮寫符號</p> <p>2.XX：國際標準化組織(ISO)規定的 2 個字母國家編號</p> <p>3.000：輸出國官方植物檢疫機構批准的木質包裝生產者的獨特數位編號</p> <p>4.YY：國際植物保護公約所採用的批准措施，如溴化甲烷燻蒸—MB；熱處理—HT</p>	<p>例，以利現場查核。</p>
--	---	------------------